

1 **Supporting Online Material 1: References for Table 1**

- 2 Agatsuma, Y., Nakao, S., Motoya, S., Tajima, K. & Miyamoto, T. (1998) Relationship
3 between Year-to-year Fluctuations in Recruitment of Juvenile Sea Urchins
4 *Strongylocentrotus nudus* and Seawater Temperature in Southwestern Hokkaido.
5 *Fisheries Science*, **64**, 1-5.
- 6 Agriculture, F. a. F. D. O. P. I. & Resources, S. A. (2004) Ecological Assessment of the
7 South Australian Sea Urchin Fishery. (ed. by S.A. Primary Industries and
8 Resources).
- 9 Aleem A, A. (1973) Ecology of a Kelp-bed in Southern California. *Botanica Marina*, pp
10 83.
- 11 Andrew, N. L. (1993) Spatial heterogeneity, sea urchin grazing, and habitat structure on
12 reefs in temperate Australia. *Ecology*, **74**, 292-302.
- 13 Andrew, N. L., Agatsuma, Y., Ballesteros, E., Bazhin, A. G., Creaser, E. P., Barnes, D.
14 K. A., Botsford, L. W., Bradbury, A., Campbell, A., Dixon, J. D., Einarsson, S.,
15 Gerring, P. K., Hebert, K., Hunter, M., Hur, S. B., Johnson, C. R., Juinio-Menez,
16 M. A., Kalvass, P., Miller, R. J., Moreno, C. A., Palleiro, J. S., Rivas, D.,
17 Robinson, S. M. L., Schroeter, S. C., Steneck, R. S., Vadas, R. L., Woodby, D. A.
18 & Xiaoqi, Z. (2002) Status and management of world sea urchin fisheries.
19 *Oceanography and Marine Biology, Vol 40*, pp 343-425.
- 20 Andrew, N. L. & Choat, J. H. (1982) The influence of predation and conspecific adults
21 on the abundance of juvenile *Evechinus chloroticus* (Echinoidea:Echinometridae).
22 *Oecologia*, **54**, 80-87.
- 23 Babcock, R. C., Kelly, S., Shears, N. T., Walker, J. W. & Willis, T. J. (1999) Changes in
24 community structure in temperate marine reserves. *Marine Ecology-Progress*
25 *Series*, **189**, 125-134.
- 26 Barrett, N. S., Buxton, C. D. & Edgar, G. J. (2009) Changes in invertebrate and
27 macroalgal populations in Tasmanian marine reserves in the decade following
28 protection. *Journal of Experimental Marine Biology and Ecology*, **370**, 104-119.
- 29 Benech, S. V. (1977) *Preliminary Investigations of the Giant Red Sea Urchin Resource of*
30 *San Luis Obispo County, California: Strongylocentrotus Franciscanus (Agassiz)*,
31 edn. California Polytechnic State University.
- 32 Blamey, L. K., Branch, G. M. & Reaugh-Flower, K. E. (2010) Temporal changes in kelp
33 forest benthic communities following an invasion by the rock lobster *Jasus*
34 *lalandii*. *African Journal of Marine Science*, **32**, 481-490.
- 35 Botsford, L. W. (2001) Physical influences on recruitment to California Current
36 invertebrate populations on multiple scales. *ICES Journal of Marine Science:*
37 *Journal du Conseil*, **58**, 1081-1091.
- 38 Boudouresque, C. F. & Verlaque, M. (2001) Ecology of *Paracentrotus lividus*. pp 177-
39 216.
- 40 Bowlby, C. E., Troutman, B. L. & Jeffries, S. J. (1988) Sea otters in Washington:
41 distribution, abundance, and activity patterns. Washington Department of
42 Wildlife, Olympia, Washington, USA. . *Final Report to Coastal Resources Re-*
43 *search and Development Institute, Newport, Oregon, USA. .*

- 44 Breen, P. A., Carson, T. A., Foster, J. B. & Stewart, E. A. (1982) Changes in subtidal
45 community structure associated with British Columbia sea otter transplants. .
46 *Marine Ecology Progress Series*, **7**, 13-20.
- 47 Carter, S., Vanblaricom, G. & Allen, B. (2007) Testing the generality of the trophic
48 cascade paradigm for sea otters: a case study with kelp forests in northern
49 Washington, USA. *Hydrobiologia*, **579**, 233-249.
- 50 Castilla, J. C. & Fernandez, M. (1998) Small-scale benthic fisheries in Chile: On co-
51 management and sustainable use of benthic invertebrates. *Ecological*
52 *Applications*, **8**, S124-S132.
- 53 Choat, J. H. & Schiel, D. R. (1982) Patterns of distribution and abundance of large brown
54 algae and invertebrate herbivores in subtidal regions of northern New Zealand.
55 *Journal of Experimental Marine Biology and Ecology*, **60**, 129-162.
- 56 Cole, R. G. & Keuskamp, D. (1998) Indirect effects of protection from exploitation:
57 patterns from populations of *Evechinus chloroticus* (Echinoidea) in northeastern
58 New Zealand. *Marine Ecology-Progress Series*, **173**, 215-226.
- 59 Cowen, R. K. (1983) The effects of sheephead (*Semicossyphus pulcher*) predation on red
60 sea urchin (*Strongylocentrotus franciscanus*) populations: an experimental
61 analysis. *Oecologia*, **58**, 249-255.
- 62 Cowen, R. K., Agegian, C. R. & Foster, M. S. (1982) The maintenance of community
63 structure in a central California giant kelp forest. *Journal of Experimental Marine*
64 *Biology and Ecology*, **64**, 189-201.
- 65 Dean, #160, A., T., Bodkin, L., J., Jewett, C., S., Monson, H., D., Jung & D. (2000)
66 *Changes in sea urchins and kelp following a reduction in sea otter density as a*
67 *result of the Exxon Valdez oil spill*, edn. Inter-Research, Oldendorf,
68 ALLEMAGNE.
- 69 Dix, T. G. (1970) Biology of *evechinus chloroticus* (echinoidea: Echinometridae) from
70 different localities. *New Zealand Journal of Marine and Freshwater Research*, **4**,
71 91-116.
- 72 Duggins, D. O. (1980) Kelp beds and sea otters: an experimental approach. *Ecology*, **3**,
73 447-453.
- 74 Duggins, D. O. (1983) Starfish Predation and the Creation of Mosaic Patterns in a Kelp-
75 Dominated Community. *Ecology*, **64**, 1610-1619.
- 76 Duggins, D. O., Simenstad, C. A. & Estes, J. A. (1989) Magnification of secondary
77 production by kelp detritus in coastal marine ecosystems. *Science*, **245**, 170-173.
- 78 Ebeling, A. W. & Laur, D. R. (1988) Fish populations in kelp forests without sea otters:
79 effects of severe storm damage and destructive sea urchin grazing. *The community*
80 *ecology of sea otters*, 169-191.
- 81 Ebeling, A. W., Laur, D. R. & Rowley, R. J. (1985) Severe storm disturbances and
82 reversal of community structure in a southern California kelp forest. *Marine*
83 *Biology*, **84**, 287-294.
- 84 Ebert, E. E. (1968a) California sea otter-census and habitat survey. *Underwater*
85 *Naturalist*, 20-23.
- 86 Ebert, T. A. (1968b) Growth rates of the sea urchin *Strongylocentrotus purpuratus*
87 related to food availability and spine abrasion. *Ecology*, **49**, 1075-1091.

- 88 Ebert, T. A., Schroeter, S. C., Dixon, J. D. & Kalvass, P. (1994) Settlement patterns of
89 red and purple sea urchins (*Strongylocentrotus franciscanus* and *S.purpuratus*) in
90 California, USA. *Marine Ecology Progress Series*, **111**, 41-52.
- 91 Edwards, M. (2004) Estimating scale-dependency in disturbance impacts: El Niños and
92 giant kelp forests in the northeast Pacific. *Oecologia*, **138**, 436-447.
- 93 Estes, J. A. & Duggins, D. O. (1995) Sea otters and kelp forests in Alaska: Generality and
94 variation in a community ecological paradigm. *Ecological Monographs*, **65**, 75-
95 100.
- 96 Fisheries Division of the Department of Primary Industries, V. (2005) Statement of
97 management arrangements for the Victorian sea urchin fishery (*Heliocidaris*
98 *erythrogramma* & *Centrostephanus rodgersii*) Australian Department of Heritage
99 and Environment
- 100 Gaymer, C. E. & Himmelman, J. H. (2008) A keystone predatory sea star in the intertidal
101 zone is controlled by a higher-order predatory sea star in the subtidal zone.
102 *Marine Ecology Progress Series*, **370**, 143-153.
- 103 Hagen, N. T. (1995) Recurrent destructive grazing of successional immature kelp
104 forests by green sea urchins in Vestfjorden, Northern Norway. *Marine Ecology*
105 *Progress Series*, **123**, 95-106.
- 106 Johnson, C., Ling, S., Ross, J., Shepherd, S. & Miller, K. (2005) Establishment of the
107 Long-spined Sea Urchin (*Centrostephanus rodgersii*) in tasmania: First Assessment
108 of Potential Threats to Fisheries. *FRDC Final Report*. Fisheries Research and
109 Development Corporation.
- 110 Johnson, P. T. (1971) Studies on diseased urchins from Point Loma. *Abbual Report on*
111 *Kelp Habitat Improvement Project*, pp 82-90. California Institute of Technology,
112 Pasadena.
- 113 Kalvass, P. E. & Hendrix, J. M. (1997) The California red sea urchin, *Strongylocentrotus*
114 *franciscanus*, fishery: Catch, effort, and management trends. *Marine Fisheries*
115 *Review*, **59**, 1-17.
- 116 Keats, D. W., Steele, D. H. & South, G. R. (1986) Atlantic wolffish (*Anarhichas lupus* L.;
117 Pisces: Anarhichidae) predation on green sea urchins (*Strongylocentrotus*
118 *droebachiensis* (O.F. Mull.); Echinodermata: Echinoidea) in eastern
119 Newfoundland. *Canadian Journal of Zoology*, **64**, 1920-1925.
- 120 Lafferty, K. D. & Kushner, D. (2000) Population regulation of the purple sea urchin,
121 *Strongylocentrotus purpuratus*, at the California Channel Islands. *Fifth California*
122 *Islands Symposium* (ed. by B. Dr & M. Kl & C. Hw), pp 379–381. Minerals
123 Management Service, Santa Barbara, California.
- 124 Lamare, M. D. & Barker, M. F. (2001) Settlement and recruitment of the New Zealand
125 sea urchin *Evechinus chloroticus*. *Marine Ecology-Progress Series*, **218**, 153-166.
- 126 Leinaas, H. P. & Christie, H. (1996) Effects of removing sea urchins (*Strongylocentrotus*
127 *droebachiensis*): Stability of the barren state and succession of kelp forest
128 recovery in the east Atlantic. *Oecologia (Berlin)*, **105**, 524-536.
- 129 Lester, S. E., Tobin, E. D. & Behrens, M. D. (2007) Disease dynamics and the potential
130 role of thermal stress in the sea urchin, *Strongylocentrotus purpuratus*. *Canadian*
131 *Journal of Fisheries and Aquatic Sciences*, **64**, 314-323.
- 132 Maes, P. & Jangoux, M. (1984) The bald-sea-urchin disease: a biopathological approach.
133 *Helgoland Marine Research*, **37**, 217-224.

- 134 Mann, K. H. & Breen, P. A. (1972) The Relation Between Lobster Abundance, Sea
135 Urchins, and Kelp Beds. *Journal of the Fisheries Research Board of Canada*, **29**,
136 603-605.
- 137 Miller, R. J. & Colodey, A. G. (1983) Widespread mass mortalities of the green sea
138 urchin in Nova Scotia, Canada. *Marine Biology*, **73**, 263-267.
- 139 Ostfeld, R. S. (1982) Foraging strategies and prey switching in the California sea otter.
140 *Oecologia*, **53**, 170-178.
- 141 Pearse, J. S. & Hines, A. H. (1987) Long-term population dynamics of sea urchins in a
142 central California kelp forest: rare recruitment and rapid decline. *MARINE*
143 *ECOLOGY - PROGRESS SERIES*, **39**, 275-283.
- 144 Pfister, C. A. & Bradbury, A. (1996) Harvesting Red Sea Urchins: Recent Effects and
145 Future Predictions. *Ecological Applications*, **6**, 298-310.
- 146 Ramírez-Félix, E. & Manzo-Monroy, H. G. (2004) Modelling the use of two fishery
147 access rights, concessions and licenses, in the red sea urchin, *Strongylocentrotus*
148 *franciscanus* (Agassiz), fishery at Santo Tomás, Baja California, Mexico.
149 *Comparación entre el uso de dos derechos de acceso pesquero, concesiones y*
150 *permisos, en la pesquería de erizo rojo de mar, Strongylocentrotus franciscanus*
151 *(Agassiz), en Santo Tomás, Baja California, México*, **30**, 547-560.
- 152 Raymond, E. G. & Scheibling, R. E. (1987) Recruitment and growth of the sea urchin
153 *Strongylocentrotus droebachiensis* (Muller) following mass mortalities off Nova
154 Scotia, Canada. *Journal of Experimental Marine Biology and Ecology*, **108**, 31-
155 54.
- 156 Reynolds, J. A. & Wilen, J. E. (2000) The Sea Urchin Fishery: Harvesting, Processing
157 and the Market. *Marine Resource Economics*, **15**, 115-126.
- 158 Rogers-Bennett, L., Fastenau, H. C. & Dewees, C. M. (1998) Recovery of red sea urchin
159 beds following experimental harvest. . *Echinoderms: San Francisco, Proceedings*
160 *of the Ninth International Echinoderm Conference, August 5–9, 1996*. (ed. by R.
161 Mooi & M. Telford), pp 805–809, San Francisco, California.
- 162 Sala, E. & Zabala, M. (1996) Fish predation and the structure of the sea urchin
163 *Paracentrotus lividus* populations in the NW Mediterranean. *Marine Ecology*
164 *Progress Series*, **140**, 71-81.
- 165 Scheibling, R. E. & Stephenson, R. L. (1984) Mass mortality of
166 *Strongylocentrotus droebachiensis* (Echinodermata:
167 Echinoidea) off Nova Scotia, Canada. *Marine Biology*, **78**, 153-164.
- 168 Shears, N. T. & Ross, P. M. (2010) Toxic cascades: multiple anthropogenic stressors
169 have complex and unanticipated interactive effects on temperate reefs. *Ecology*
170 *Letters*, **13**, 1149-1159.
- 171 Tajima, K. & Lawrence, J. M. (2001) Disease in edible sea urchins. *Developments in*
172 *Aquaculture and Fisheries Science* (ed. by M.L. John), pp 139-148. Elsevier.
- 173 Tarr, R. J. Q., Williams, P. V. G. & Mackenzie, A. J. (1996) Abalone, sea urchins and
174 rock lobster: a possible ecological
175 shift may affect traditional fisheries. *South African Journal of Marine Science*, **17**, 319–
176 323.
- 177 Tegner, M. J. & Dayton, P. K. (1981) Population Structure Recruitment and Mortality of
178 2 Sea-Urchins *Strongylocentrotus-Franciscanus* and *Strongylocentrotus-*
179 *Purpuratus* in a Kelp Forest. *Marine Ecology Progress Series*, **5**, 255-268.

- 180 Tegner, M. J., Dayton, P. K., Edwards, P. B., Riser, K. L., Chadwick, D. B., Dean, T. A.
181 & Deysher, L. (1995) Effects of a large sewage spill on a kelp forest community:
182 Catastrophe or disturbance? *Marine Environmental Research*, **40**, 181-224.
- 183 Turon, X., Giribet, G., Lopez, S. & Palacin, C. (1995) Growth and population structure of
184 *Paracentrotus lividus* (Echinodermata: Echinoidea) in two contrasting habitats.
185 *Marine Ecology Progress Series*, **122**, 193-204.
- 186 Vanderklift, M. A. & Kendrick, G. A. (2004) Variation in abundances of herbivorous
187 invertebrates in temperate subtidal rocky reef habitats. *Marine and Freshwater*
188 *Research*, **55**, 93-103.
- 189 Vega, J. M. A., Vásquez, J. A. & Buschmann, A. H. (2005) Population biology of the
190 subtidal kelps *Macrocystis integrifolia* and *Lessonia trabeculata* (Laminariales,
191 Phaeophyceae) in an upwelling ecosystem of northern Chile: Interannual
192 variability and El Niño 1997-1998. *Revista Chilena de Historia Natural*, **78**, 33-
193 50.
- 194 Watanabe, J. M. & Harrold, C. (1991) Destructive grazing by sea urchins
195 *Strongylocentrotus* spp. in a central California kelp forest: potential roles of
196 recruitment, depth, and predation. *Marine Ecology Progress Series*, **71**, 125-141.
- 197 Watson, J. & Estes, J. A. (2011) Stability, resilience, and phase shifts in rocky subtidal
198 communities along the west coast of Vancouver Island, Canada. *Ecological*
199 *Monographs*, **81**, 215-239.
- 200 Wing, S. R., Gibbs, M. T. & Lamare, M. D. (2003) Reproductive sources and sinks
201 within a sea urchin, *Evechinus chloroticus*, population of a New Zealand fjord.
202 *Marine Ecology Progress Series*, **248**, 109-123.
203

203 **Supporting Online Material 2: References for Table Supporting Online Table 1**

- 204 Aleem AA (1973) Ecology of a Kelp-bed in Southern California. *Botanica Marina*,
205 **16(2)**, 53–112.
- 206 Almanza V (2007) Importancia de huirales de *Macrocystis pyrifera* (L.) C. Agardh
207 (Laminariales, Phaeophyta) en la abundancia, diversidad y asentamiento de
208 organismos bentónicos asociados. Thesis.
- 209 Andrew NL (1991) Changes in subtidal habitat following mass mortality of sea urchins in
210 Botany Bay, New South Wales. *Australian Journal of Ecology*, **16**, 353–362.
- 211 Andrew NL, Jones GP (1990) Patch formation by herbivorous fish in a temperate
212 Australian kelp forest. *Oecologia*, **85**, 57–68.
- 213 Andrew NL, O'Neill AL (2000) Large-scale patterns in habitat structure on subtidal rocky
214 reefs in New South Wales. *Marine and Freshwater Research*, **51**, 255–263.
- 215 Andrew NL, Underwood AJ (1989) Patterns of abundance of the sea urchin
216 *Centrostephanus rodgersii* (Agassiz) on the central coast of New South Wales,
217 Australia. *Journal of Experimental Marine Biology and Ecology*, **131**, 61–80.
- 218 *Antarctic Nutrient Cycles and Food Webs SE - 57* (1985) *Antarctic Nutrient Cycles and*
219 *Food Webs SE - 57*. Springer Berlin Heidelberg.
- 220 Breen PA, Carson TA, Bristol-Foster J, Stewart EA (1982) Changes in subtidal
221 community structure associated with British Columbia sea otter transplants. *Marine*
222 *Ecology Progress Series*, **7**, 13–20.
- 223 Buschmann AH, García C, Espinoza R, Filún LL, Vásquez JA (2004) Sea urchin
224 (*Loxechinus albus*) and kelp (*Macrocystis pyrifera*) in protected areas in southern
225 Chile. In: *Sea Urchins. Fisheries and Ecology* (eds Lawrence JM, Guzmán O), pp.
226 120–130. DEStech Publications, Inc, Lancaster, PA.
- 227 Buschmann AH, Moreno C, Vásquez JA, Hernández-González MC (2006) Reproduction
228 strategies of *Macrocystis pyrifera* (Phaeophyta) in Southern Chile: The importance of
229 population dynamics. *Journal of Applied Phycology*, **18**, 575–582.
- 230 Carter S, VanBlaricom G, Allen B (2007) Testing the generality of the trophic cascade
231 paradigm for sea otters: a case study with kelp forests in northern Washington, USA.
232 *Marine Biology*, **579**, 233–249.
- 233 Castilla JC (1985) Food Webs and Functional Aspects of the Kelp, *Macrocystis pyrifera*,
234 Community in the Beagle Channel, Chile. In: *Antarctic Nutrient Cycles and Food*
235 *Webs SE - 57* (eds Siegfried W, Condy P, Laws R), pp. 407–414. Springer Berlin
236 Heidelberg.
- 237 Connell SD, Irving AD (2008) Integrating ecology with biogeography using landscape
238 characteristics: a case study of subtidal habitat across continental Australia. *Journal*
239 *of Biogeography*, **35**, 1608–1621.
- 240 Dayton PK (1985) The structure and regulation of some South American kelp
241 communities. *Ecological Monographs*, **55**, 447–468.
- 242 Dotsu K, Nomura H, Ohta M, Iwakura Y (1999) Factors causing formation of *Laminaria*
243 *religiosa* bed on corraline flats along the southwest coast of Hokkaido. *Nippon*
244 *Suisan Gakkaishi*, **65**, 216–222.
- 245 Duggins DO (1980) Kelp beds and sea otters: an experimental approach. *Ecology*, **3**,
246 447–453.
- 247 Duggins DO, Simenstad CA, Estes JA (1989) Magnification of secondary production by

248 kelp detritus in coastal marine ecosystems. *Science*, **245**, 170–173.

249 Estes JA, Duggins DO (1995) Sea Otters and Kelp Forests in Alaska: Generality and
250 Variation in a Community Ecological Paradigm. *Ecological Monographs*, **65**, 75–
251 100.

252 Estes JA, Palmisano JF (1974) Sea otters their role in structuring nearshore communities.
253 *Science (Washington D C)*, **185**, 1058–1060.

254 Estes JE, Smith NS, Palmisano JF (1978) Sea otter predation and community
255 organization in the western Aleutian islands, Alaska. *Ecology*, **59**, 822–833.

256 Ettinger-Epstein P, Kingsford MJ (2008) Effects of the El Niño southern oscillation on
257 *Turbo torquatus* (Gastropoda) and their kelp habitat. *Austral Ecology*, **33**, 594–606.

258 Field JG, Griffiths CL, Griffiths RJ, Jarman N, Zoutendyk P, Velimirov B, Bowes A
259 (1980) Variation In Structure And Biomass Of Kelp Communities Along The South-
260 West Cape Coast. *Transactions of the Royal Society of South Africa*, **44**, 145–203.

261 Foster MS, Schiel DR (1988) Kelp Communities and Sea Otters: Keystone Species or
262 Just Another Brick in the Wall? In: pp. 92–115. Springer Berlin Heidelberg, Berlin,
263 Heidelberg.

264 Fowler-Walker MJ, Connell SD (2002) Opposing states of subtidal habitat across
265 temperate Australia: consistency and predictability in kelp canopy-benthic
266 associations. *Marine Ecology Progress Series*, **240**, 49–56.

267 Fowler-Walker MJ, Connell SD, Gillanders BM (2005) To what extent do geographic
268 and associated environmental variables correlate with kelp morphology across
269 temperate Australia? *Marine and Freshwater Research*, **56**, 877–887.

270 Fox D, Amend M (1999) *1999 Nearshore Rocky Reef Assessment*. Oregon Department of
271 Fish and Wildlife Marine Program.

272 Gagnon P, Himmelman JH, Johnson LE (2004) Temporal variation in community
273 interfaces: kelp-bed boundary dynamics adjacent to persistent urchin barrens. *Marine*
274 *Biology*, **144**, 1191–1203.

275 Hill NA, Blount C, Poore AGB, Worthington D, Steinberg PD (2003) Grazing effects of
276 the sea urchin *Centrostephanus rodgersii* in two contrasting rocky reef habitats:
277 effects of urchin density and its implications for the fishery. *Marine and Freshwater*
278 *Research*, **54**, 691–700.

279 Himmelman JH (1986) Population biology of green sea urchins on rocky barrens. *Marine*
280 *Ecology Progress Series*, **33**, 295–306.

281 Hjørleifsson E, Kaasa O, Gunnarsson K (1995) *Grazing of kelp by green sea urchin in*
282 *Eyjafjordur, North Iceland* (eds Skjoldal HR, Hopkins C, Erikstad KE, Leinaas HP).
283 Elsevier Science Publishers B.V., PO Box 211, Sara Burgerhartstraat 25, 1000 AE
284 Amsterdam, Netherlands; Elsevier Science Publishing Co., Inc., P.O. Box 882,
285 Madison Square Station, New York, New York 10159-2101, USA.

286 Jones NS, Kain JM (1967) Subtidal algal colonization following the removal of *Echinus*.
287 *Marine Research - Helgoländer wissenschaftliche Meeresuntersuchungen*, **15**, 460–
288 466.

289 Kirkman H (1984) Standing stock and production of *Ecklonia radiata* (C.Ag.): J. Agardh.
290 *Journal of Experimental Marine Biology and Ecology*, **76**, 119–130.

291 Kirkman H (1989) Growth, density and biomass of *Ecklonia radiata* at different depths
292 and growth under artificial shading off Perth, Western Australia. *Australian Journal*
293 *of Marine and Freshwater Research*, 169–177.

- 294 Konar B (2000) Seasonal inhibitory effects of marine plants on sea urchins: structuring
295 communities the algal way. *Oecologia*, **125**, 208–217.
- 296 Konar B, Estes JA (2003) The stability of boundary regions between kelp beds and
297 deforested areas. *Ecology*, **84**, 174–185.
- 298 Kvittek RG, Lampietro PJ, Thomas K (2001) *Quantitative Assessment Of Sea Otter*
299 *Benthic Prey Communities Within The Olympic Coast National Marine Sanctuary:*
300 *1999 Re-Survey Of 1995 And 1985 Monitoring Stations.*
- 301 Leinaas HP, Christie H (1996) Effects of removing sea urchins (*Strongylocentrotus*
302 *droebachiensis*): Stability of the barren state and succession of kelp forest recovery in
303 the east Atlantic. *Oecologia (Berlin)*, **105**, 524–536.
- 304 Leliaert F, Anderson RJ, Bolton JJ, Coppejans E (2000) Subtidal Understorey Algal
305 Community Structure in Kelp Beds around the Cape Peninsula (Western Cape, South
306 Africa). *Botanica Marina*, **43**, 359–359.
- 307 Levitt GJ, Anderson RJ, Boothroyd CJT, Kemp FA (2002) The effects of kelp harvesting
308 on its regrowth and the understorey benthic community at Danger Point, South
309 Africa, and a new method of harvesting kelp fronds. *South African Journal of Marine*
310 *Science*, **24**, 71–85.
- 311 Mattison JE, Trent JD, Shanks AL, Akin TB, Pearse JS (1977) Movement and Feeding-
312 Activity of Red-Sea Urchins (*Strongylocentrotus franciscanus*) Adjacent to a Kelp
313 Forest. *Marine Biology*, **39**, 25–30.
- 314 Moreno C, Sutherland J (1982) Physical and biological processes in a *Macrocystis*
315 *pyrifera* community near Valdivia, Chile. *Oecologia*, **55**, 1–6.
- 316 Ojeda F, Dearborn J (1989) Community structure of macroinvertebrates inhabiting the
317 rocky subtidal zone in the Gulf of Maine: seasonal and bathymetric distribution.
318 *Marine Ecology Progress Series*, **57**, 147–161.
- 319 Pearse JS, Hines AH (1987) Long-term population dynamics of sea urchins in a central
320 California kelp forest: rare recruitment and rapid decline. *Marine Ecology Progress*
321 *Series*, **39**, 275–283.
- 322 Reisewitz SE, Estes JA, Simenstad CA (2006) Indirect food web interactions: sea otters
323 and kelp forest fishes in the Aleutian archipelago. *Oecologia (Berlin)*, **146**, 623–631.
- 324 Rosenthal RJ, Clarke WD, Dayton PK (1974) Ecology and natural history of a stand of
325 giant kelp, *Macrocystis pyrifera*, off Del Mar, California. *Fishery Bulletin*, **72**, 670–
326 684.
- 327 Santelices B, Ojeda FP (1984) Effects of canopy removal on the understory algal
328 community structure of coastal forests of *Macrocystis pyrifera* from southern South
329 America. *Marine ecology progress series. Oldendorf*, **14**, 165–173.
- 330 Scheibling R (1986) Increased macroalgal abundance following mass mortalities of sea
331 urchins (*Strongylocentrotus droebachiensis*) along the Atlantic coast of Nova Scotia.
332 *Oecologia*, **68**, 186–198.
- 333 Scheibling RE, Stephenson RL (1984) Mass mortality of *Strongylocentrotus*
334 *droebachiensis* (Echinodermata: Echinoidea) off Nova Scotia, Canada. *Marine*
335 *Biology*, **78**, 153–164.
- 336 Scheibling RE, Hennigar AW, Balch T (1999) Destructive grazing, epiphytism, and
337 disease: the dynamics of sea urchin - kelp interactions in Nova Scotia. *Canadian*
338 *Journal of Fisheries and Aquatic Sciences*, **56**, 2300–2314.
- 339 Schroeter SC, Dixon JD, Kastendiek J (1993) Detecting the ecological effects of

340 environmental impacts: a case study of kelp forest invertebrates. *Ecological ...*, **3**,
 341 331–350.
 342 *Sea Urchins. Fisheries and Ecology* (2004) *Sea Urchins. Fisheries and Ecology*.
 343 DEStech Publications, Inc, Lancaster, PA.
 344 Shears NT, Babcock RC (2007) *Quantitative description of mainland New Zealand's*
 345 *shallow subtidal reef communities*.
 346 Siddon CE, Witman JD (2003) Influence of chronic, low-level hydrodynamic forces on
 347 subtidal community structure. *Marine ecology progress series. Oldendorf*, **261**, 99–
 348 110.
 349 Sivertsen K (1997) Geographic and environmental factors affecting the distribution of
 350 kelp beds and barren grounds and changes in biota associated with kelp reduction at
 351 sites along the. *Canadian Journal of Fisheries and Aquatic Sciences* **1990**.
 352 Skadsheim A, Rinde E (1995) Ecological descriptions of the kelp community in Froan.
 353 *Norwegian with abstract in English*. *NINA*, **354**, 1–38.
 354 Steneck RS (1997) Fisheries-induced biological changes to the structure and function of
 355 the Gulf of Maine ecosystem., pp. 151–165.
 356 Toohey B, Kendrick GA, Wernberg T, Phillips JC, Malkin S, Prince J (2004) The effects
 357 of light and thallus scour from *Ecklonia radiata* canopy on an associated foliose algal
 358 assemblage: the importance of photoacclimation. *Marine Biology*, **144**, 1019–1027.
 359 Underwood AJ, Kingsford MJ, Andrew NL (1991) Patterns in shallow subtidal marine
 360 assemblages along the coast of New South Wales. *Australian Journal of Ecology*, **16**,
 361 231–249.
 362 Vanderklift M, Wernberg T (2008) Detached kelps from distant sources are a food
 363 subsidy for sea urchins. *Oecologia*, **157**, 327–335.
 364 Vanderklift MA, Kendrick GA (2004) Variation in abundances of herbivorous
 365 invertebrates in temperate subtidal rocky reef habitats. *Marine and Freshwater*
 366 *Research*, **55**, 93–103.
 367 Vásquez JA, Vega JMA (2005) Macroinvertebrados asociados a discos de adhesión de
 368 algas pardas: Biodiversidad de comunidades discretas como indicadores de
 369 perturbaciones locales y de gran escala., pp. 429–450. Santaigo-Chile.
 370 Vásquez JA, Vega JMA, Buschmann AH (2006) Long term variability in the structure of
 371 kelp communities in northern Chile and the 1997--98 ENSO. *Journal of Applied*
 372 *Phycology*, **18**, 505–519.
 373 Vega JMA, Buschmann AH, Vásquez JA (2005) Population biology of the subtidal kelps
 374 *Macrocystis integrifolia* and *Lessonia trabeculata* (Laminariales, Phaeophyceae) in
 375 an upwelling ecosystem of northern Chile: interannual variability and El Niño 1997-
 376 1998. 33–50.
 377 Villegas MJ, Laudien J, Sielfeld W, Arntz WE (2008) *Macrocystis integrifolia* and
 378 *Lessonia trabeculata* (Laminariales; Phaeophyceae) kelp habitat structures and
 379 associated macrobenthic community off northern Chile. *Helgoland Marine Research*,
 380 **62**, 33–43.
 381 Wernberg T (2009) Spatial variation in juvenile and adult *Ecklonia radiata*
 382 (Laminariales) sporophytes. *Aquatic Botany*, **90**, 93–95.
 383 Wharton WG, Mann KH (1981) Relationship between destructive grazing by the sea
 384 urchin, *Strongylocentrotus droebachiensis*, and the abundance of American lobster,
 385 *Homarus americanus*, on the Atlantic coast of Nova Scotia. *Canadian Journal of*

386 *Fisheries and Aquatic Sciences*, **38**, 1339–1349.
387 Witman JD (1987) Subtidal coexistence: storms, grazing, mutualism, and the zonation of
388 kelps and mussels. *Ecological Monographs*, **57**, 167–187.
389 Wright JT, Dworjanyn SA, Rogers CN, Steinberg PD, Williamson JE, Poore AGB (2005)
390 Density-dependent sea urchin grazing: differential removal of species, changes in
391 community composition and alternative community states. *Marine Ecology Progress
392 Series*, **298**, 143–156.
393 Yoneda Y, Fujita T, Nakahara H, Toyohara T, Kaneko K (2007) Role of grazing by sea
394 urchins on the persistence of a seaweed bed on a seawall in Osaka Bay; the effect of
395 experimental density manipulation. *Nippon Suisan Gakkaishi*, **73**, 1031–1041.
396