

BS	EM	ES	lactate	ug/ml
0.698674	16.18484	16.20596		
0.571078	8.474762	4.05995	mean of triplicate samples	
0.720995	2.539058	17.51562		
0.985392	6.615894	13.29092		
0.788983	1.989848	10.7561		
0.381056	8.728244	9.657678		
0.184647	7.31297	10.50262		
0.124214	7.819933	4.271185		
0.426382	2.919281	11.41093		
0.456598	3.15164	5.306237		
0.645453	2.644676	2.940405		
0.44149	1.504007	2.644676		
0.343285	17.53674	8.495886		
0.260189	6.277918	15.12866		
0.192201	1.46176	6.615894		
0.290406				
0.320623				
1.264898				
0.509478				
0.139322				
0.486815				
0.290406				
1.000501				
0.547249				

BS	EM	ES	THC (mean of duplicate measurements)	x 10e7	per ml
1.64	1.26	3.01			
1.83	2.02	1.85			
1.56	0.54	3.43			
1.37	1.6	3.45			
1.42	1.62				
2.05		2.97			
1.04	2.76	1.84			
1.08	1.85	2.49			
1.86	2.06	2.63			
1.02	2.86	2.5			
1.41	1.48	0.65			
1.07	2.2	2.25			
1.28	2.4	1.68			
1.42	1.59	1.6			
0.92	1.41	2.13			
1.24					
1.97					
2.07					
1.84					
0.85					
2.11					
0.88					
1.79					
1.00					