

tmod: Analysis of Transcriptional Modules

January Weiner

2016-06-03

Abstract

The package `tmod` provides blood transcriptional modules described by Chaussabel et al. (2008) and by Li et al. (2014) as well as metabolic profiling clusters from Weiner et al. (2012). Furthermore, the package includes tools for testing the significance of enrichment of the modules as well as visualisation of the features (genes, metabolites etc.) and modules. This vignette is a tutorial for the package.

Contents

Basic data analysis	2
The Gambia data set	2
Transcriptional module analysis	3
Working with multiple sets of comparisons	6
Working with limma	6
Comparing tests across experimental conditions	10
Using other sets of modules	15
Functional multivariate analysis	16
PCA and tag clouds	20
Permutation tests	23
Accessing the tmod data	25
Using and creating custom sets of modules	27
MSigDB	28
Manual creation of tmod module objects: MSigDB	30
Manual creation of tmod module sets: Wikipathways	31
Case study: Metabolic profiling of TB patients	33
Introduction	33
Differential analysis	33
Functional multivariate analysis	38
References	42

Basic data analysis

The Gambia data set

In the following, we will use the Egambia data set included in the package. The data set has been generated by Maertzdorf et al. (2011) and has the GEO ID GSE28623. The data is already background corrected and normalized, so we can proceed with a differential gene expression analysis. Note that only a bit over 5000 genes from the original set of over 45000 probes is included.


```
library(limma)
library(tmod)
data(Egambia)
design <- cbind(Intercept=rep(1, 30), TB=rep(c(0,1), each= 15))
E <- as.matrix(Egambia[,-c(1:3)])
fit <- eBayes( lmFit(E, design))
tt <- topTable(fit, coef=2, number=Inf,
              genelist=Egambia[,1:3] )

head(tt, 10)
```

```
##      GENE_SYMBOL
## 4178      FAM20A
## 20799     FCGR1B
## 4122      BATF2
## 23567     ANKRD22
## 20498     SEPT4
## 20360     CD274
## 2513      AIM2
## 24032     GOLSYN
## 1337      ETV7
## 467      SERPING1
##
##                                     GENE_NAME      EG
## 4178      family with sequence similarity 20, member A" 54757
## 20799     Fc fragment of IgG, high affinity Ib, receptor (CD64)" 2210
## 4122      basic leucine zipper transcription factor, ATF-like 2 116071
## 23567     ankyrin repeat domain 22 118932
## 20498     septin 4 5414
## 20360     CD274 molecule 29126
## 2513      absent in melanoma 2 9447
## 24032     Golgi-localized protein 55638
## 1337      ets variant 7 51513
## 467      serpin peptidase inhibitor, clade G (C1 inhibitor), member 1" 710
##
##      logFC  AveExpr      t      P.Value  adj.P.Val      B
## 4178  2.955829  4.007327  6.200637  3.423267e-07  0.001898886  6.457171
## 20799  2.391490  13.401207  5.946113  7.552423e-07  0.002094665  5.741043
## 4122  2.680837  10.398520  5.797752  1.198442e-06  0.002215920  5.322491
## 23567  2.763908  8.651749  5.624092  2.057601e-06  0.002692116  4.832003
## 20498  3.286528  4.223270  5.480564  3.215558e-06  0.002692116  4.426508
## 20360  2.377399  7.334747  5.463149  3.394453e-06  0.002692116  4.377314
## 2513  1.966342  9.933621  5.462879  3.397298e-06  0.002692116  4.376553
## 24032 -2.534812  2.221666 -5.362575  4.639596e-06  0.003018586  4.093323
## 1337  2.844012  8.075046  5.345142  4.897651e-06  0.003018586  4.044119
## 467   2.639069  7.708228  5.150375  8.958000e-06  0.004969002  3.495088
```

OK, we see some of the genes known to be prominent in the human host response to TB. We can display one of these using tmod's showGene function (it's just a boxplot combined with a beeswarm, nothing special):

```
group <- rep( c("CTRL", "TB"), each=15)
showGene(E["20799",], group,
  main=Egambia["20799", "GENE_SYMBOL"])
```



Fine, but what about the modules?

Transcriptional module analysis

There are two main functions in tmod to understand which modules are significantly enriched¹

The first one, tmodHGtest, is simply a hypergeometric test on two groups of genes: ‘foreground’ (fg), or the list of differentially expressed genes, and ‘background’ (bg) – the gene universe, i.e., all genes present in the analysis. The gene identifiers used currently by tmod are HGNC identifiers, and we will use the GENE_SYMBOL field from the Egambia data set.

In this particular example, however, we have almost no genes which are significantly differentially expressed after correction for multiple testing: the power of the test with 10 individuals in each group is too low. For the sake of the example, we will therefore relax our selection. Normally, I’d use a q-value threshold of at least 0.001.

```
fg <- tt$GENE_SYMBOL[tt$adj.P.Val < 0.05 & abs( tt$logFC ) > 1]
res <- tmodHGtest(fg=fg, bg=tt$GENE_SYMBOL)
res
```

##	ID	Title	b	B
##	LI.M112.0	LI.M112.0	complement activation (I)	4 11
##	LI.M11.0	LI.M11.0	enriched in monocytes (II)	4 20
##	LI.M75	LI.M75	antiviral IFN signature	3 10

¹If you work with limma, there are other, more efficient and simpler to use functions. See “Working with limma” below.

```

## LI.S4          LI.S4          Monocyte surface signature 3 10
## LI.S5          LI.S5          DC surface signature 4 34
## LI.M165       LI.M165       enriched in activated dendritic cells (II) 3 19
## LI.M4.3       LI.M4.3       myeloid cell enriched receptors and transporters 2 5
## LI.M16        LI.M16        TLR and inflammatory signaling 2 5
##              n      N      E      P.Value      adj.P.Val
## LI.M112.0     47 4826 37.33849 2.480096e-06 0.0008581134
## LI.M11.0      47 4826 20.53617 3.414323e-05 0.0059067783
## LI.M75        47 4826 30.80426 9.906126e-05 0.0085687989
## LI.S4         47 4826 30.80426 9.906126e-05 0.0085687989
## LI.S5         47 4826 12.08010 2.957367e-04 0.0204649814
## LI.M165       47 4826 16.21277 7.521410e-04 0.0394125446
## LI.M4.3       47 4826 41.07234 9.112727e-04 0.0394125446
## LI.M16        47 4826 41.07234 9.112727e-04 0.0394125446

```

The columns in the above table contain the following:

- **ID** The module ID. IDs starting with “LI” come from Li et al. (S. Li et al. 2014), while IDs starting with “DC” have been defined by Chaussabel et al. (Chaussabel et al. 2008).
- **Title** The module description
- **b** Number of genes from the given module in the fg set
- **B** Number of genes from the module in the bg set
- **n** Size of the fg set
- **N** Size of the bg set
- **E** Enrichment, calculated as $(b/n)/(B/N)$
- **P.Value** P-value from the hypergeometric test
- **adj.P.Val** P-value adjusted for multiple testing using the Benjamini-Hochberg correction

Well, IFN signature in TB is well known. However, the numbers of genes are not high: n is the size of the foreground, and b the number of genes in fg that belong to the given module. N and B are the respective totals – size of bg+fg and number of genes that belong to the module that are found in this totality of the analysed genes. If we were using the full Gambia data set (with all its genes), we would have a different situation.

Another approach is to sort all the genes (for example, by the respective p-value) and perform a U-test on the ranks of (i) genes belonging to the module and (ii) genes that do not belong to the module. This is a bit slower, but often works even in the case if the power of the statistical test for differential expression is low. That is, even if only a few genes or none at all are significant at acceptable thresholds, sorting them by the p-value or another similar metric can nonetheless allow to get meaningful enrichments².

Moreover, we do not need to set arbitrary thresholds, like p-value or logFC cutoff.

```

l <- tt$GENE_SYMBOL
res2 <- tmodUtest(l)
head(res2)

```

```

##              ID              Title      U  N1      AUC
## LI.M37.0     LI.M37.0 immune activation - generic cluster 352659 100 0.7462103
## LI.M37.1     LI.M37.1 enriched in neutrophils (I) 50280 12 0.8703781
## LI.S4        LI.S4        Monocyte surface signature 43220 10 0.8974252
## LI.M75       LI.M75       antiviral IFN signature 42996 10 0.8927741

```

²The rationale is that the non-significant p-values are not associated with the test that we are actually performing, but merely used to sort the gene list. Thus, it does not matter whether they are significant or not.

```
## LI.M11.0 LI.M11.0          enriched in monocytes (II) 74652 20 0.7766542
## LI.M67     LI.M67          activated dendritic cells 28095 6 0.9714730
##           P.Value      adj.P.Val
## LI.M37.0 1.597067e-17 5.525852e-15
## LI.M37.1 4.530577e-06 6.569127e-04
## LI.S4     6.853638e-06 6.569127e-04
## LI.M75    8.632649e-06 6.569127e-04
## LI.M11.0 9.492958e-06 6.569127e-04
## LI.M67    3.200305e-05 1.811391e-03
```

```
nrow(res2)
```

```
## [1] 25
```

This list makes a lot of sense, and also is more stable than the other one: it does not depend on modules that contain just a few genes. Since the statistics is different, the b, B, n, N and E columns in the output have been replaced by the following:

- **U** The Mann-Whitney U statistics
- **N1** Number of genes in the module
- **AUC** Area under curve – a measure of the effect size

There are two tests in tmod which both operate on an ordered list of genes: `tmodUtest` and `tmodCERNOtest`. The U test is simple, however has two main issues. Firstly, it detects enrichments as well as depletions – that is, modules which are enriched at the bottom of the list (e.g. modules which are never, ever regulated in a particular comparison) will be detected as well. This is often undesirable. Secondly, large modules will be reported as significant even if the actual effect size (i.e., AUC) is modest or very small, just because of the sheer number of genes in a module. Unfortunately, also the reverse is true: modules with a small number of genes, even if they consist of highly up- or down-regulated genes from the top of the list will not be detected.

The CERNO test, described by Yamaguchi et al. (Yamaguchi et al. 2008), is based on Fisher’s method of combining probabilities. In summary, for a given module, the ranks of genes from the module are logarithmized, summed and multiplied by -2:

$$f_{CERNO} = -2 \cdot \sum_{i=1}^N \ln \frac{R_i}{N_{tot}}$$

This statistic has the χ^2 distribution with $2 \cdot N$ degrees of freedom, where N is the number of genes in a given module and N_{tot} is the total number of genes (Yamaguchi et al. 2008).

The CERNO test is actually much more practical than the U test for most purposes.

```
l <- tt$GENE_SYMBOL
res2 <- tmodCERNOtest(l)
head( res2 )
```


```
##           ID          Title      cerno N1
## LI.M37.0  LI.M37.0 immune activation - generic cluster 426.35781 100
## LI.M11.0  LI.M11.0          enriched in monocytes (II) 113.80864 20
## LI.S4     LI.S4          Monocyte surface signature 76.37298 10
## LI.M112.0 LI.M112.0      complement activation (I) 73.67987 11
## LI.M75    LI.M75          antiviral IFN signature 65.29854 10
```

```
## LI.M16      LI.M16      TLR and inflammatory signaling 46.33475  5
##           AUC      cES      P.Value      adj.P.Val
## LI.M37.0  0.7462103  2.131789  1.824844e-18  6.313962e-16
## LI.M11.0  0.7766542  2.845216  5.255069e-09  9.091270e-07
## LI.S4     0.8974252  3.818649  1.606057e-08  1.852319e-06
## LI.M112.0 0.8455773  3.349085  1.722322e-07  1.489809e-05
## LI.M75    0.8927741  3.264927  1.045914e-06  7.192190e-05
## LI.M16    0.9790500  4.633475  1.247201e-06  7.192190e-05
```

Here, the results are similar, however CERNO test was able to detect another module – “TLR and inflammatory signaling”. Although only 5 genes are in this module (which is why U test could not detect it), the genes are all on the top of the list of the differentially regulated genes.

Let us now investigate in more detail the module LI.M75, the antiviral interferon signature. We can use the `evidencePlot` function to see how the module is enriched in the list 1.

```
evidencePlot(1, "LI.M75")
```



In essence, this is a receiver-operator characteristic (ROC) curve, and the area under the curve (AUC) is related to the U-statistic, from which the P-value in the `tmodUtest` is calculated, as $AUC = \frac{U}{n_1 \cdot n_2}$. Both the U statistic and the AUC are reported. Moreover, the AUC can be used to calculate effect size according to the `Wendt's formula`(Wendt 1972) for rank-biserial correlation coefficient:

$$r = 1 - \frac{2 \cdot U}{n_1 \cdot n_2} = 1 - 2 \cdot AUC$$

In the above diagram, we see that nine out of the 10 genes that belong to the LI.M75 module and which are present in the Egambia data set are ranked among the top 1000 genes (as sorted by p-value).

Working with multiple sets of comparisons

Working with limma

Given the popularity of the `limma` package, `tmod` includes functions to easily integrate with `limma`. In fact, if you fit a design / contrast with `limma` function `lmFit` and calculate the p-values with `eBayes()`, you can

directly use the resulting object in `tmodLimmaTest` and `tmodLimmaDecideTests`³.

```
res.l <- tmodLimmaTest(fit, Egambia$GENE_SYMBOL)
length(res.l)
```

```
## [1] 2
```

```
names(res.l)
```

```
## [1] "Intercept" "TB"
```

```
head(res.l$TB)
```

```
##           ID                               Title      cerno  N1
## LI.M37.0  LI.M37.0 immune activation - generic cluster 414.27395 100
## LI.M11.0  LI.M11.0           enriched in monocytes (II) 105.61794  20
## LI.M112.0 LI.M112.0           complement activation (I)  75.62229  11
## LI.S4     LI.S4             Monocyte surface signature  69.97439  10
## LI.M75    LI.M75           antiviral IFN signature    66.10214  10
## LI.M67    LI.M67           activated dendritic cells  50.35750   6
##           AUC      cES      P.Value  adj.P.Val
## LI.M37.0  0.7255121 2.071370 4.568772e-17 1.580795e-14
## LI.M11.0  0.7862464 2.640449 7.921155e-08 9.671792e-06
## LI.M112.0 0.8667988 3.437377 8.385947e-08 9.671792e-06
## LI.S4     0.8836794 3.498719 1.838992e-07 1.590728e-05
## LI.M75    0.8645349 3.305107 7.780282e-07 5.383955e-05
## LI.M67    0.9712310 4.196458 1.208877e-06 6.971189e-05
```

The `tmodLimmaTest` function uses coefficients and p-values from the `limma` object to order the genes. By default, the genes are ordered by MSD (Minimum Significant Difference), rather than p-value or log fold change.

The MSD is defined as follows:

$$\text{MSD} = \begin{cases} CI.L & \text{if } \log\text{FC} > 0 \\ -CI.R & \text{if } \log\text{FC} < 0 \end{cases}$$

Where $\log\text{FC}$ is the log fold change, $CI.L$ is the left boundary of the 95% confidence interval of $\log\text{FC}$ and $CI.R$ is the right boundary. MSD is always greater than zero and is equivalent to the absolute distance between the confidence interval and the x axis. For example, if the $\log\text{FC}$ is 0.7 with 95% $CI = [0.5, 0.9]$, then $\text{MSD}=0.5$; if $\log\text{FC}$ is -2.5 with 95% $CI = [-3.0, -2.0]$, then $\text{MSD} = 2.0$.

The idea behind MSD is as follows. Ordering genes by decreasing absolute log fold change will include on the top of the list some genes close to background, for which log fold changes are grand, but so are the errors and confidence intervals, just because measuring genes with low expression is loaded with errors. Ordering genes by decreasing absolute log fold change should be avoided.

On the other hand, in a list ordered by p-values, many of the genes on the top of the list will have strong signals and high expression, which results in better statistical power and ultimately with lower p-values – even though the actual fold changes might not be very impressive.

³The function `tmodLimmaDecideTests` is described in the next section

However, by using MSD and using the boundary of the confidence interval to order the genes, the genes on the top of the list are those for which we can *confidently* that the actual log fold change is large. That is because the 95% confidence intervals tells us that in 95% cases, the real log fold change will be anywhere within that interval. Using its boundary closer to the x-axis (zero log fold change), we say that in 95% of the cases the log fold change will have this or larger magnitude (hence, “minimal significant difference”).

This can be visualized as follows, using the drop-in replacement for limma’s topTable function, tmodLimmaTopTable, which calculates msd as well as confidence intervals. We will consider only genes with positive log fold changes and we will show top 50 genes as ordered by the three different measures:

```
plotCI <- function(x, ci.l, ci.r, title="") {
  n <- length(x)
  plot(x,
    ylab="logFC", xlab="Index",
    pch=19, ylim=c( min(x-ci.l), max(x+ci.r)),
    main=title)
  segments(1:n, ci.l, 1:n, ci.r, lwd=5, col="#33333333")
}

par(mfrow=c(1,3))


x <- tmodLimmaTopTable(fit, coef="TB")
print(head(x))
```

```
##      logFC.TB      t.TB      msd.TB      SE.TB      d.TB      ciL.TB
## 34  0.02819016  0.07556852 -0.7277810  0.3730410  0.02879949 -0.7277810
## 36  1.52416640  3.87981294  0.7280616  0.3928453  1.63977633  0.7280616
## 41  0.07888294  0.17834978 -0.8174289  0.4422934  0.09554857 -0.8174289
## 44  0.15321399  0.32385505 -0.8055162  0.4730944  0.19850746 -0.8055162
## 52 -0.23501607 -0.61703279 -0.5368429  0.3808810 -0.24514187 -1.0068750
## 62 -0.31952987 -0.55848332 -0.8399144  0.5721386 -0.50066053 -1.4789741
##      ciR.TB      qval.TB
## 34  0.7841613  0.99538447
## 36  2.3202712  0.04393162
## 41  0.9751948  0.99504430
## 44  1.1119442  0.99504430
## 52  0.5368429  0.99504430
## 62  0.8399144  0.99504430
```

```
x <- x[ x$logFC.TB > 0, ] # only to simplify the output!
x2 <- x[ order(abs(x$logFC.TB), decreasing=T),][1:50,]
plotCI(x2$logFC.TB, x2$ciL.TB, x2$ciR.TB, "logFC")

x2 <- x[ order(x$qval.TB),][1:50,]
plotCI(x2$logFC.TB, x2$ciL.TB, x2$ciR.TB, "q-value")

x2 <- x[ order(x$msd.TB, decreasing=T),][1:50,]
plotCI(x2$logFC.TB, x2$ciL.TB, x2$ciR.TB, "MSD")
```

Black dots are logFCs, and grey bars denote 95% confidence intervals. On the left panel, the top 50 genes ordered by the fold change include several genes with broad confidence intervals, which, despite having a large log fold change, are not significantly up- or down-regulated.

On the middle panel the genes are ordered by p-value. It is clear that the log fold changes of the genes vary considerably, and that the list includes genes which are more and less strongly regulated in TB.

The third panel shows genes ordered by decreasing MSD. There is less variation in the logFC than on the second panel, but at the same time the fallacy of the first panel is avoided. MSD is a compromise between considering the effect size and the statistical significance.

What about enrichments?

```
x <- tmodLimmaTopTable(fit, coef="TB", genelist=Egambia[,1:3])
x.lfc <- x[ order(abs(x$logFC.TB), decreasing=T),]
x.qval <- x[ order(x$qval.TB),]
x.msdc <- x[ order(x$msdc.TB, decreasing=T),]

head(tmodCERNOtest(x.lfc$GENE_SYMBOL))
```

##	ID	Title	cerno			
##	LI.M37.0	immune activation - generic cluster	381.20058			
##	LI.M112.0	complement activation (I)	67.57425			
##	LI.M75	antiviral IFN signature	59.49036			
##	LI.S4	Monocyte surface signature	58.93059			
##	LI.M67	activated dendritic cells	44.54543			
##	LI.M165	enriched in activated dendritic cells (II)	84.06285			
##	N1	AUC	cES	P.Value	adj.P.Val	
##	LI.M37.0	100	0.7345239	1.906003	1.990299e-13	6.886434e-11
##	LI.M112.0	11	0.8340036	3.071557	1.583945e-06	2.740225e-04
##	LI.M75	10	0.8714493	2.974518	8.537502e-06	8.529686e-04
##	LI.S4	10	0.8759759	2.946529	1.041171e-05	8.529686e-04
##	LI.M67	6	0.9406639	3.712119	1.232614e-05	8.529686e-04
##	LI.M165	19	0.7057362	2.212180	2.482939e-05	1.431828e-03

```
head(tmodCERNOtest(x.qval$GENE_SYMBOL))
```

```
##           ID                               Title      cerno  N1
## LI.M37.0  LI.M37.0 immune activation - generic cluster 427.03180 100
## LI.M11.0  LI.M11.0           enriched in monocytes (II) 114.85395 20
## LI.S4     LI.S4             Monocyte surface signature 77.27812 10
## LI.M112.0 LI.M112.0        complement activation (I) 74.30410 11
## LI.M75    LI.M75           antiviral IFN signature 65.41723 10
## LI.M16    LI.M16          TLR and inflammatory signaling 46.32281 5
##           AUC      cES      P.Value    adj.P.Val
## LI.M37.0  0.7523212 2.135159 1.521279e-18 5.263625e-16
## LI.M11.0  0.7910112 2.871349 3.691442e-09 6.386194e-07
## LI.S4     0.9164037 3.863906 1.131929e-08 1.305491e-06
## LI.M112.0 0.8595676 3.377459 1.367620e-07 1.182991e-05
## LI.M75    0.8932932 3.270861 1.001270e-06 6.928788e-05
## LI.M16    0.9790085 4.632281 1.253436e-06 7.228150e-05
```

```
head(tmodCERNOtest(x.msdc$GENE_SYMBOL))
```

```
##           ID                               Title      cerno  N1
## LI.M37.0  LI.M37.0 immune activation - generic cluster 414.27395 100
## LI.M11.0  LI.M11.0           enriched in monocytes (II) 105.61794 20
## LI.M112.0 LI.M112.0        complement activation (I) 75.62229 11
## LI.S4     LI.S4             Monocyte surface signature 69.97439 10
## LI.M75    LI.M75           antiviral IFN signature 66.10214 10
## LI.M67    LI.M67          activated dendritic cells 50.35750 6
##           AUC      cES      P.Value    adj.P.Val
## LI.M37.0  0.7255121 2.071370 4.568772e-17 1.580795e-14
## LI.M11.0  0.7862464 2.640449 7.921155e-08 9.671792e-06
## LI.M112.0 0.8667988 3.437377 8.385947e-08 9.671792e-06
## LI.S4     0.8836794 3.498719 1.838992e-07 1.590728e-05
## LI.M75    0.8645349 3.305107 7.780282e-07 5.383955e-05
## LI.M67    0.9712310 4.196458 1.208877e-06 6.971189e-05
```

In this case, the results of p-value and msdc-ordering are very similar.

Comparing tests across experimental conditions

In the above example with the Gambian data set there were only two coefficients calculated in limma, the intercept and the TB. However, often there are several coefficients or contrasts which are analysed simultaneously, for example different experimental conditions or different time points. tmod includes several functions which make it easy to visualize such sets of enrichments.

The object `res.l` created above using the tmod function `tmodLimmaTest` is a list of tmod results. Any such list can be directly passed on to functions `tmodSummary` and `tmodPanelPlot`, as long as each element of the list has been created with `tmodCERNOtest` or a similar function. `tmodSummary` creates a table summarizing module information in each of the comparisons made. The values for modules which are not found in a result object (i.e., which were not found to be significantly enriched in a given comparison) are shown as NA's:

```
head(tmodSummary(res.l), 5)
```


```

##           ID                               Title AUC.Intercept
## LI.M11.0  LI.M11.0  enriched in monocytes (II)  0.8145651
## LI.M112.0 LI.M112.0  complement activation (I)      NA
## LI.M118.0 LI.M118.0  enriched in monocytes (IV)      NA
## LI.M124   LI.M124  enriched in membrane proteins  0.8807517
## LI.M127   LI.M127  type I interferon response      NA
##           q.Intercept  AUC.TB          q.TB
## LI.M11.0  0.0001137611 0.7862464 9.671792e-06
## LI.M112.0           NA 0.8667988 9.671792e-06
## LI.M118.0           NA 0.8377967 2.850219e-03
## LI.M124   0.0114869572      NA      NA
## LI.M127           NA 0.9448247 1.043621e-02


```

We can neatly visualize the above information on a heatmap-like representation:

```
tmodPanelPlot(res.l, text.cex=0.8)
```



P value:



Effect size:



The sizes of the red blobs on the figure correspond to the effect size, that is, the AUC, while the intensity of the color reflects the q-value from the module enrichment test. We can see that also the intercept term is enriched for genes found in monocytes and neutrophils. Note that by default, `tmodPanelPlot` only shows enrichments with $p < 0.01$, hence a slight difference from the `tmodSummary` output.

The function `tmodPanelPlot` has many optional arguments for customization, including options for label sizes, p value thresholds and custom functions for plotting the test results instead of just red blobs.

It is often of interest to see which enriched modules go up, and which go down? Specifically, we would like to

see, for each module, how many genes are up-, and how many genes are down-regulated. `tmodPanelPlot` takes an optional argument, `pie`, which contains information on significantly regulated genes in modules. We can conveniently generate it from a `limma` linear fit object with the `tmodLimmaDecideTests` function:

```
pie <- tmodLimmaDecideTests(fit, genes=Egambia$GENE_SYMBOL)
head(pie$TB[ order( pie$TB[, "Up"], decreasing=T), ])
```

```
##           Down Zero Up
## DC.M3.4      0  11  9
## DC.M4.2      0  16  7
## LI.M11.0     0  16  4
## LI.M37.0     0 110  4
## LI.M112.0    0   9  4
## LI.M165     0  24  4
```

```
data(tmod)
tmod$MODULES["DC.M3.4",]
```

```
##           ID      Title Category Annotated
## DC.M3.4 DC.M3.4 Interferon   DC.M3      Yes
##                                           URL
## DC.M3.4 http://www.biiir.net/public_wikis/module_annotation/V2_Trial_8_Modules_M3.4
##           Source SourceID original.ID B
## DC.M3.4 http://www.biiir.net/      DC      M3.4 53
```


The `pie` object is a list. Each element of the list corresponds to one coefficient and is a data frame with the columns “Down”, “Zero” and “Up” (in that order). Importantly, all names of the “res.l” list must correspond to an item in the `pie` list.

```
all(names(pie) %in% names(res.l))
```

```
## [1] TRUE
```

We can now use this information in `tmodPanelPlot`:

```
tmodPanelPlot(res.l, pie=pie, text.cex=0.8)
```



P value:




Effect size:



A rug-like plot can be also generated:

```
tmodPanelPlot(res.l,
  pie=pie, pie.style="rug",
  grid="between")
```



P value:



Effect size:



There is also a more general function, `tmodDecideTests` that also produces a `tmodPanelPlot`-compatible object, a list of data frames with gene counts. However, instead of taking a `limma` object, it requires (i) a gene name, (ii) a vector or a matrix of log fold changes, and (iii) a vector or a matrix of p-values. We can replicate the result of `tmodLimmaDecideTests` above with the following commands:

```
tt.I <-
  topTable(fit, coef="Intercept", number=Inf, sort.by="n")
tt.TB <- topTable(fit, coef="TB", number=Inf, sort.by="n")
pie2 <- tmodDecideTests(Egambia$GENE_SYMBOL,
  lfc=cbind(tt.I$logFC, tt.TB$logFC),
  pval=cbind(tt.I$adj.P.Val, tt.TB$adj.P.Val))
identical(pie[[1]], pie2[[1]])
```

```
## [1] TRUE
```

Using other sets of modules

By default, `tmod` uses the modules published by Li et al. (S. Li et al. 2014) (LI). A second set of modules was published by Chaussabel et al. (Chaussabel et al. 2008) (DC); new module definitions were described by

Banchereau et al. (Banchereau et al. 2012) and can be found on a public website⁴.

Depending on the `mset` parameter to the test functions, either the LI or DC sets are used, or both, if the `mset=all` has been specified.

```
l <- tt$GENE_SYMBOL
res2 <- tmodUtest(l, mset="all")
head( res2 )
```

```
##           ID           Title      U  N1      AUC
## LI.M37.0 LI.M37.0 immune activation - generic cluster 352659 100 0.7462103
## DC.M4.2   DC.M4.2           Inflammation  91352  20 0.9503953
## DC.M1.2   DC.M1.2           Interferon   73612  17 0.9004196
## DC.M3.2   DC.M3.2           Inflammation  96366  24 0.8361620
## DC.M5.15 DC.M5.15           Neutrophils  65289  16 0.8483498
## DC.M7.29 DC.M7.29           Undetermined 77738  20 0.8087599
##           P.Value      adj.P.Val
## LI.M37.0 1.597067e-17 9.678227e-15
## DC.M4.2  1.674762e-12 5.074530e-10
## DC.M1.2  5.703006e-09 9.623646e-07
## DC.M3.2  6.352241e-09 9.623646e-07
## DC.M5.15 7.240084e-07 8.774982e-05
## DC.M7.29 9.084521e-07 9.175366e-05
```


As you can see, the information contained in both module sets is partially redundant.

Functional multivariate analysis

Transcriptional modules can help to understand the biological meaning of the calculated multivariate transformations. For example, consider a principal component analysis (PCA), visualised using the `pca3d` package (Weiner 2013):

```
library(pca3d)
mypal <- c("#E69F00", "#56B4E9")
pca <- prcomp(t(E), scale.=TRUE)
par(mfrow=c(1, 2))
l<-pca2d(pca, group=group,
  palette=mypal)
cols <- as.character(l$colors)
legend("topleft", as.character(l$groups),
  pch=l$shapes,
  col=cols, bty="n")
l<-pca2d(pca, group=group, components=3:4,
  palette=mypal)
legend("topleft", as.character(l$groups),
  pch=l$shapes,
  col=cols, bty="n")
```

⁴http://www.biir.net/public_wikis/module_annotation/G2_Trial_8_Modules



The fourth component looks really interesting. Does it correspond to the modules which we have found before? Each principal component is, after all, a linear combination of gene expression values multiplied by weights (or scores) which are constant for a given component. The i -th principal component for sample j is given by

$$PC_{i,j} = \sum_k w_{i,k} \cdot x_{k,j}$$

where k is the index of the variables (genes in our case), $w_{i,k}$ is the weight associated with the i -th component and the k -th variable (gene), and $x_{k,j}$ is the value of the variable k for the sample j ; that is, the gene expression of gene k in the sample j . Genes influence the position of a sample along a given component the more the larger their absolute weight for that component.

For example, on the right-hand figure above, we see that samples which were taken from TB patients have a high value of the principal component 4; the opposite is true for the healthy controls. The genes that allow us to differentiate between these two groups will have very large, positive weights for genes highly expressed in TB patients, and very large, negative weights for genes which are highly expressed in NID, but not TB.

We can sort the genes by their weight in the given component, since the weights are stored in the `pca` object in the “rotation” slot, and use the `tmodUtest` function to test for enrichment of the modules.

```
o <- order(abs(pca$rotation[,4]), decreasing=TRUE)
l <- Egambia$GENE_SYMBOL[o]
res <- tmodUtest(l)
head(res)
```

##	ID	Title	U	N1	AUC
##	LI.M37.0	LI.M37.0 immune activation - generic cluster	339742	100	0.7188785
##	LI.M37.1	LI.M37.1 enriched in neutrophils (I)	50096	12	0.8671929
##	LI.M75	LI.M75 antiviral IFN signature	43379	10	0.9007267
##	LI.M11.0	LI.M11.0 enriched in monocytes (II)	74343	20	0.7734395
##	LI.S5	LI.S5 DC surface signature	115007	34	0.7058762
##	LI.M67	LI.M67 activated dendritic cells	28291	6	0.9782503

```
##           P.Value    adj.P.Val
## LI.M37.0 3.133111e-14 1.084056e-11
## LI.M37.1 5.405722e-06 6.700097e-04
## LI.M75   5.809333e-06 6.700097e-04
## LI.M11.0 1.185187e-05 1.025187e-03
## LI.S5    1.711493e-05 1.184353e-03
## LI.M67   2.506730e-05 1.445548e-03
```

Perfect, this is what we expected: we see that the neutrophil / interferon signature which is the hallmark of the TB biosignature. What about other components? We can run the enrichment for each component and visualise the results using tmod's functions tmodSummary and tmodPanelPlot. Below, we use the filter.empty option to omit the principal components which show no enrichment at all.

```
# Calculate enrichment for each component
gs <- Egambia$GENE_SYMBOL
# function calculating the enrichment of a PC
gn.f <- function(r) {
  tmodCERN0test(gs[order(abs(r), decreasing=T)],
               qval=0.01)
}
x <- apply(pca$rotation, 2, gn.f)
tmodSummary(x, filter.empty=TRUE)[1:5,]
```

```
##           ID           Title    AUC.PC3    q.PC3
## LI.M11.0  LI.M11.0 enriched in monocytes (II)    NA    NA
## LI.M112.0 LI.M112.0 complement activation (I)    NA    NA
## LI.M118.0 LI.M118.0 enriched in monocytes (IV)    NA    NA
## LI.M127   LI.M127 type I interferon response    NA    NA
## LI.M144   LI.M144 cell cycle, ATP binding 0.9894257 0.006051848
##           AUC.PC4    q.PC4 AUC.PC9 q.PC9 AUC.PC14 q.PC14 AUC.PC30
## LI.M11.0 0.7734395 2.136524e-07    NA    NA    NA    NA    NA
## LI.M112.0 0.7509865 4.910746e-05    NA    NA    NA    NA    NA
## LI.M118.0 0.8528591 5.027869e-05    NA    NA    NA    NA    NA
## LI.M127   0.9593030 3.706095e-03    NA    NA    NA    NA    NA
## LI.M144   NA          NA    NA    NA    NA    NA    NA
##           q.PC30
## LI.M11.0    NA
## LI.M112.0   NA
## LI.M118.0   NA
## LI.M127     NA
## LI.M144     NA
```

The following plot shows the same information in a visual form. The size of the blobs corresponds to the effect size (AUC value), and their color – to the q-value.

```
tmodPanelPlot(x)
```



However, we might want to ask, for each module, how many of the genes in that module have a negative, and how many have a positive weight? We can use the function `tmodDecideTests` for that. For each principal component shown, we want to know how many genes have very large (in absolute terms) weights – we can use the “`lfc`” parameter of `tmodDecideTests` for that. We define here “large” as being in the top 25% of all weights in the given component. For this, we need first to calculate the 3rd quartile (top 25% threshold). We will show only 10 components:


```
qfnc <- function(r) quantile(r, 0.75)
qqs <- apply(pca$rotation[,1:10], 2, qfnc)
pie <- tmodDecideTests(gs, lfc=pca$rotation[,1:10], lfc.thr=qqs)
tmodPanelPlot(x[1:10], pie=pie,
  pie.style="rug", grid="between")
```



PCA and tag clouds

For another way of visualizing enrichment, we can use the tagcloud package (Weiner 2014). P-Values will be represented by the size of the tags, while AUC – which is a proxy for the effect size – will be shown by the color of the tag, from grey (AUC=0.5, random) to black (1):

```
library(tagcloud)
w <- -log10(res$P.Value)
c <- smoothPalette(res$AUC, min=0.5)
tags <- strmultline(res$title)
tagcloud(tags, weights=w, col=c)
```




We can now annotate the PCA axes using the tag clouds; however, see below for a shortcut in tmod.

```

par(mar=c(1,1,1,1))
o3 <- order(abs(pca$rotation[,3]), decreasing=TRUE)
l3 <- Egambia$GENE_SYMBOL[o3]
res3 <- tmodUtest(l3)
layout(matrix(c(3,1,0,2),2,2,byrow=TRUE),
  widths=c(1/3, 2/3), heights=c(2/3, 1/3))
# note -- PC4 is now x axis!!
l<-pca2d(pca, group=group, components=4:3,
  palette=mypal, radius=1.8)
cols <- as.character(l$colors)
legend("topleft",
  as.character(l$groups),
  pch=l$shapes,
  col=cols, bty="n")
tagcloud(tags, weights=w, col=c, fvert= 0)
tagcloud(strmultline(res3$Title),
  weights=-log10(res3$P.Value),
  col=smoothPalette(res3$AUC, min=0.5),
  fvert=1)

```



As mentioned previously, there is a way of doing it all with tmod much more quickly, in just a few lines of code:

Note that `plot.params` are just parameters which will be passed to the `pca2d` function. However, remember that it must be a list.

To plot the PCA, tmod uses the function `pca2d` from the `pca3d` package, but you can actually do it yourself by providing `tmodPCA` with a suitable function. The only requirement is that the function takes named parameters “`pca`” and “`components`”:

```
plotf <- function(pca, components) {
  id1 <- components[1]
  id2 <- components[2]
  print(id1)
```

```


print(id2)
plot(pca$x[,id1], pca$x[,id2])
}
ret <- tmodPCA(pca, genes=Egambia$GENE_SYMBOL,
  components=3:4, plotfunc=plotf)

```

```

## [1] 3
## [1] 4

```



Permutation tests

The GSEA approach (Subramanian et al. 2005) is based on similar premises as the other approaches described here. In principle, GSEA is a combination of an arbitrary scoring of a sorted list of genes and a permutation test. Although the GSEA approach has been criticized from statistical standpoint (Damian and Gorfine 2004), it remains one of the most popular tools to analyze gene sets amongst biologists. In the following, it will be shown how to use a permutation-based test with tmod.

A permutation test is based on a simple principle. The labels of observations (that is, their group assignments) are permuted and a statistic s_i is calculated for each i -th permutation. Then, the same statistic s_o is calculated for the original data set. The proportion of the permuted sets that yielded a statistic s_i equal to or higher than s_o is the p-value for a statistical hypothesis test.

First, we will set up a function that creates a permutation of the Egambia data set and repeats the limma procedure for this permutation, returning the ordering of the genes.

```
permset <- function(data, design) {
  require(limma)
  data <- data[, sample(1:ncol(data)) ]
  fit <- eBayes(lmFit(data, design))
  tt <- topTable(fit, coef=2, number=Inf, sort.by="n")
  order(tt$P.Value)
}
```

In the next step, we will generate 100 random permutations. The `sapply` function will return a matrix with a column for each permutation and a row for each gene. The values indicate the order of the genes in each permutation. We then use the `tmod` function `tmodAUC` to calculate the enrichment of each module for each permutation.

```
# same design as before
design <- cbind(Intercept=rep(1, 30),
  TB=rep(c(0,1), each= 15))
E <- as.matrix(Egambia[, -c(1:3)])
N <- 250 # small number for the sake of example
set.seed(54321)
perms <- sapply(1:N, function(x) permset(E, design))
pauc <- tmodAUC(Egambia$GENE_SYMBOL, perms)
dim(perms)
```

```
## [1] 5547 250
```

We can now calculate the true values of the AUC for each module and compare them to the results of the permutation. The parameters “order.by” and “qval” ensure that we will calculate the values for all the modules (even those without any genes in our gene list!) and in the same order as in the `perms` variable.

```
fit <- eBayes(lmFit(E, design))
tt <- topTable(fit, coef=2, number=Inf,
  genelist=Egambia[,1:3])
res <- tmodCERNOTest(tt$GENE_SYMBOL, qval=Inf, order.by="n")
all(res$ID == rownames(perms))
```

```
## [1] TRUE
```

```
fnsum <- function(m) sum(pauc[m,] >= res[m, "AUC"])
sums <- sapply(res$ID, fnsum)
res$perm.P.Val <- sums / N
res$perm.P.Val.adj <- p.adjust(res$perm.P.Val)
res <- res[order(res$AUC, decreasing=T),]
head(res[order(res$perm.P.Val),
  c("ID", "Title", "AUC", "adj.P.Val", "perm.P.Val.adj") ])
```

```
##           ID           Title           AUC           adj.P.Val
## LI.M16     LI.M16 TLR and inflammatory signaling 0.9790500 7.192190e-05
## LI.M59     LI.M59      CCR1, 7 and cell signaling 0.9771973 5.751429e-02
```



```

## LI.M67    LI.M67    activated dendritic cells 0.9714730 8.363690e-05
## LI.M150  LI.M150    innate antiviral response 0.9498859 9.956972e-03
## LI.M127  LI.M127    type I interferon response 0.9455715 1.163487e-02
## LI.S4    LI.S4    Monocyte surface signature 0.8974252 1.852319e-06
##          perm.P.Val.adj
## LI.M16          0
## LI.M59          0
## LI.M67          0
## LI.M150         0
## LI.M127         0
## LI.S4           0

```

Although the results are based on a small number of permutations, the results are nonetheless strikingly similar. For more permutations, they improve further. The table below is a result of calculating 100,000 permutations.

ID	Title	AUC	adj.P.Val
LI.M37.0	immune activation - generic cluster	0.7462103	0.00000
LI.M11.0	enriched in monocytes (II)	0.7766542	0.00000
LI.M112.0	complement activation (I)	0.8455773	0.00000
LI.M37.1	enriched in neutrophils (I)	0.8703781	0.00000
LI.M105	TBA	0.8949512	0.00000
LI.S4	Monocyte surface signature	0.8974252	0.00000
LI.M150	innate antiviral response	0.9498859	0.00000
LI.M67	activated dendritic cells	0.9714730	0.00000
LI.M16	TLR and inflammatory signaling	0.9790500	0.00000
LI.M118.0	enriched in monocytes (IV)	0.8774710	0.00295
LI.M75	antiviral IFN signature	0.8927741	0.00295
LI.M127	type I interferon response	0.9455715	0.00295
LI.S5	DC surface signature	0.6833387	0.02336
LI.M188	TBA	0.8684647	0.09894
LI.M165	enriched in activated dendritic cells (II)	0.7197180	0.11600
LI.M240	chromosome Y linked	0.8157171	0.11849
LI.M20	AP-1 transcription factor network	0.8763327	0.12672
LI.M81	enriched in myeloid cells and monocytes	0.7562851	0.13202
LI.M3	regulation of signal transduction	0.7763995	0.14872
LI.M4.3	myeloid cell enriched receptors and transporters	0.8859573	0.15675

Unfortunately, the permutation approach has two main drawbacks. Firstly, it requires a sufficient number of samples – for example, with three samples in each group there are only $6! = 720$ possible permutations. Secondly, the computational load is substantial.

Accessing the tmod data

The `tmod` package stores its data in two data frames and two lists. This object is contained in a list called `tmod`, which is loaded with `data("tmod")`. The names mimic the various environments from `Annotation.dbi` packages, but currently the objects are just two lists and two data frames.

- `tmod$MODULES` is a data frame which contains general module information as defined in the supplementary materials for Li et al. (S. Li et al. 2014) and Chaussabel et al. (Chaussabel et al. 2008)
- `tmod$GENES` is a data frame which contains general gene information, including columns with HGNC (“primary”), as well as ENTREZ and REFSEQ identifiers.


- **tmod\$MODULES2GENES** is a list with module IDs (same as in the “ID” column of tmod\$MODULES) as names. Every element of the list is a character vector with IDs (“primary” column of tmod\$GENES) of the genes which are included in this module.
- **tmod\$GENES2MODULES** is a list with gene IDs (same as in the “primary” column of tmod\$GENES) as names. Every element of the list is a character vector with IDs of the modules in which the gene is found.

Using these variables, one can apply any other tool for the analysis of enriched module sets available, for example, the `geneSetTest` function from the `limma` package (Smyth et al. (Smyth 2005)). We will first run `tmodUtest` setting the `qval` to `Inf` to get p-values for all modules. Then, we apply the `geneSetTest` function to each module:

```
data(tmod)
res <- tmodUtest(tt$GENE_SYMBOL, qval=Inf)
gstest <- function(x) {
  sel <- tt$GENE_SYMBOL %in% tmod$MODULES2GENES[[x]]
  geneSetTest(sel, tt$logFC)
}
gst <- sapply(res$ID, gstest)
```

Are the results of both statistical approaches similar? `tmod` uses a very simple statistical test. The approach from `geneSetTest` is more complex, but similar in principle.

```
plot(res$P.Value, gst,
     log="xy", pch=19,
     col="#33333366",
     xlab="P Values from tmod",
     ylab="P Values from geneSetTest")
abline(0,1)
abline(h=0.01, col="grey")
abline(v=0.01, col="grey")
```



On the plot above, the p-values from `tmod` are plotted against the p-values from `geneSetTest`. As you can see, in this particular example, both methods give very similar results.

Using and creating custom sets of modules

It is possible to use any kind of arbitrary or custom gene set definitions. These custom definition of gene sets takes form of a list which is then provided as the `mset` parameter to the test functions. The list in question must have the following members:

- **MODULES** A data frame which contains at least the columns “ID” and “Title”. The IDs must correspond to the names of `MODULES2GENES`.
- **GENES** (optional) A data frame which contains at least the column “ID”. The gene IDs must correspond to the gene IDs used in `MODULES2GENES`.
- **MODULES2GENES** A list. The names of the list are the IDs from the `MODULES` data frame. The items in the list are character vectors with names of the genes that are associated with each module.
- **GENES2MODULES** (optional) A list with the reverse mapping from genes to modules. Names on that list must correspond to `GENES$ID`, and the character vector members of the list must correspond to `MODULES$ID`.

`tmod` will accept a simple list that contains the above fields. However, the function `makeTmod` can be used conveniently to create a `tmod` object.

Here is a minimal definition of such a set:

```
mymset <- makeTmod(
  modules=data.frame(ID=c("A", "B"),
                     Title=c("A title",
                              "B title")),
  modules2genes=list(
    A=c("G1", "G2"),
    B=c("G3", "G4"))
)
mymset
```

```
## An object of class "tmod"
## 2 modules, 4 genes
```

Both GENES and GENES2MODULES will be automatically created by makeTmod.

Whether the gene IDs are Entrez, or something else entirely does not matter, as long as they matched the provided input to the test functions.

MSigDB

The MSigDB database from the Broad institute is an interesting collection of gene sets (actually, multiple collections). Unfortunately, MSigDB cannot be distributed or even accessed without a free registration, which imposes a heavy limitation on third party tools such as tmod. Use the following guide to download and parse the database such that you can use it with R and tmod.

First, you will need to download the MSigDB in XML format⁵. This file can be accessed at the URL http://www.broadinstitute.org/gsea/msigdb/download_file.jsp?filePath=/resources/msigdb/5.0/msigdb_v5.0.xml – follow the link, register and log in, and save the file on your disk (roughly 65MB).

Importing MSigDB is easy – tmod has a function specifically for that purpose. Once you have downloaded the MSigDB file, you can create the tmod-compatible R object with one command⁶. However, the tmod function tmodImportMSigDB() can also use this format, look up the manual page:

```
msig <- tmodImportMSigDB("msigdb_v5.0.xml")
msig
```

```
## An object of class "tmod"
## 8430 modules, 32233 genes
```

That's it – now you can use the full MSigDB for enrichment tests:

```
res <- tmodCERNOtest(tt$GENE_SYMBOL, mset=msig )
head(res)
```

```
##           ID                               Title
## M3408 M3408      GSE1432 ctrl vs ifng 24h microglia dn
## M3010 M3010                               Hecker ifnb1 targets
## M3286 M3286      GSE13485 ctrl vs day3 yf17d vaccine pbmc dn
```

⁵Note that even if you register with MSig, it is not possible to download the database directly from R in the XML format.

⁶MSigDB gene sets can be also downloaded as “GMT” files. This format contains less information and is therefore less usable.

```

## M3288 M3288 GSE13485 ctrl vs day7 yf17d vaccine pbmc dn
## M3311 M3311 GSE13485 pre vs post yf17d vaccination pbmc dn
## M3347 M3347 GSE14000 unstim vs 4h lps dc dn
##      cerno N1      AUC      cES      P.Value
## M3408 239.0983 39 0.8014227 3.065363 2.967858e-18
## M3010 244.1219 43 0.8459807 2.838626 4.555892e-17
## M3286 247.0915 45 0.7293732 2.745461 1.408943e-16
## M3288 272.2570 54 0.7222067 2.520898 3.626792e-16
## M3311 229.4948 41 0.7272625 2.798718 6.715323e-16
## M3347 272.0698 55 0.7334883 2.473362 9.792737e-16
##      adj.P.Val
## M3408 2.501904e-14
## M3010 1.920308e-13
## M3286 3.959129e-13
## M3288 7.643464e-13
## M3311 1.132204e-12
## M3347 1.375880e-12

```

The results are quite typical for MSigDB, which is quite abundant with similar or overlapping gene sets. As the first results, we see, again, interferon response, as well as sets of genes which are significantly upregulated after yellow fever vaccination – and which are also interferon related. We might want to limit our analysis only to the 50 “hallmark” module categories:

```

sel <- msig$MODULES$Category == "H"
tmodCERN0test(tt$GENE_SYMBOL, mset=msig[sel] )

```

```

##      ID      Title
## M5913 M5913 Hallmark interferon gamma response
## M5921 M5921 Hallmark complement
## M5911 M5911 Hallmark interferon alpha response
## M5946 M5946 Hallmark coagulation
## M5890 M5890 Hallmark tnfa signaling via nfkb
## M5930 M5930 Hallmark epithelial mesenchymal transition
## M5932 M5932 Hallmark inflammatory response
## M5953 M5953 Hallmark kras signaling up
## M5892 M5892 Hallmark cholesterol homeostasis
##      cerno N1      AUC      cES      P.Value
## M5913 221.68317 41 0.7786936 2.703453 8.505170e-15
## M5921 217.81028 56 0.6979148 1.944735 8.607634e-09
## M5911 108.39559 20 0.7563566 2.709890 3.192325e-08
## M5946 179.24580 50 0.6779481 1.792458 1.966824e-06
## M5890 148.95123 47 0.6484665 1.584588 2.657694e-04
## M5930 212.53461 73 0.6371808 1.455717 2.701053e-04
## M5932 184.53035 62 0.6206393 1.488148 3.457724e-04
## M5953 221.76208 82 0.6046637 1.352208 1.790956e-03
## M5892 49.14641 14 0.6138968 1.755229 8.040562e-03
##      adj.P.Val
## M5913 4.252585e-13
## M5921 2.151909e-07
## M5911 5.320542e-07
## M5946 2.458530e-05
## M5890 2.250878e-03
## M5930 2.250878e-03

```

```
## M5932 2.469803e-03
## M5953 1.119347e-02
## M5892 4.466979e-02
```

We see both – the prominent interferon response and the complement activation. Also, in addition, TNF- α signalling via NF- κ B.

Manual creation of tmod module objects: MSigDB

For the purposes of an example, the code below shows how to parse the XML MSigDB file using the R package XML. Essentially, this is the same code that tmodImportMSigDB is using:

```
library(XML)
foo <- xmlParse( "/home/january/Projects/R/pulemodule/vignette/msigdb_v5.0.xml" )
foo2 <- xmlToList(foo)
```

There are over 10,000 “gene sets” (equivalent to modules in tmod) defined. Each member of foo2 is a named character vector:

```
path1 <- foo2[[1]]
class(path1)
```

```
## [1] "character"
```

```
names(path1)
```

```
## [1] "STANDARD_NAME"      "SYSTEMATIC_NAME"
## [3] "HISTORICAL_NAMES"   "ORGANISM"
## [5] "PMID"               "AUTHORS"
## [7] "GEOID"              "EXACT_SOURCE"
## [9] "GENESET_LISTING_URL" "EXTERNAL_DETAILS_URL"
## [11] "CHIP"               "CATEGORY_CODE"
## [13] "SUB_CATEGORY_CODE"  "CONTRIBUTOR"
## [15] "CONTRIBUTOR_ORG"   "DESCRIPTION_BRIEF"
## [17] "DESCRIPTION_FULL"   "TAGS"
## [19] "MEMBERS"            "MEMBERS_SYMBOLIZED"
## [21] "MEMBERS_EZID"       "MEMBERS_MAPPING"
## [23] "FOUNDER_NAMES"     "REFINEMENT_DATASETS"
## [25] "VALIDATION_DATASETS"
```

For our example analysis, we will use only human gene sets. We further need to make sure there are no NULLs in the list.

```
orgs <- sapply(foo2, function(x) x["ORGANISM"])
unique(orgs)

foo3 <- foo2[ orgs == "Homo sapiens" ]
foo3 <- foo3[ ! sapply(foo3, is.null) ]
```

Next, construct the MODULES data frame. We will use four named fields for each vector, which contain the ID (systematic name), description, category and subcategory:

```
modules <- t(sapply(foo3,
  function(x)
    x[ c("SYSTEMATIC_NAME", "STANDARD_NAME", "CATEGORY_CODE", "SUBCATEGORY_CODE") ]))
colnames(modules) <- c( "ID", "Title", "Category", "Subcategory" )
modules <- data.frame(modules, stringsAsFactors=FALSE)
```

Then, we create the modules to genes mapping and the GENES data frame. For this, we use the MEMBERS_SYMBOLIZED field, which is a comma separated list of gene symbols belonging to a particular module:

```
m2g <- lapply(foo3,
  function(x) strsplit( x["MEMBERS_SYMBOLIZED"], "," )[[1]])
names(m2g) <- modules$ID

msig <- makeTmod(modules=modules, modules2genes=m2g)
```

From now on, you can use msig with tmod.

Note that it is not necessary to create the members GENES and GENES2MODULES manually. The reverse mapping from genes to modules, GENES2MODULES, will be automatically inferred from MODULES2GENES. If no meta-information on genes is provided in GENES, then a minimal data frame will be created with one column only (ID).

Manual creation of tmod module sets: Wikipathways

Below is an example of how to use the pathway definitions from WikiPathways⁷. First, we download the data (human pathways) and clean it up:

```
human <- tempfile()
download.file(
  "http://www.wikipathways.org//wpi/batchDownload.php?species=Homo%20sapiens&fileType=txt",
  destfile=human, mode="wb")
files <- unzip(human, list=T)

files$ID <- gsub( ".*_(WP[0-9]*)_.*", "\\1", files$Name )
files$Title <- gsub( "(.*)_WP[0-9]*_.*", "\\1", files$Name )
```

Since each pathway is in a separate file in the zip archive we downloaded, we have to read each file separately. Below, we create a list, p2GENES, which maps the modules to the corresponding genes. To make it consistent, I decided to use gene symbols rather than the Entrez numbers (just because it makes the interpretation of results a bit easier), but actually that is not necessary: tmod does not care what gene symbols are used, as long as the mappings between genes and modules are consistent, and as long as the same identifiers are used in the lists of genes.

Furthermore, note that we filter out anything that is not an ENTREZ gene identifier. This gets rid of entities which are not genes (e.g. biochemical compounds), but also of some genes.

```
suppressMessages(library(org.Hs.eg.db))
p2GENES <- sapply( files$Name, function(fn) {
  foo <- read.csv( unz( human,
    filename= fn ), sep="\t" )
```

⁷<http://www.wikipathways.org/>

```

ids <- foo$Identifier[ foo$Identifier %in% ls( org.Hs.egSYMBOL ) ]
unique(unlist(mget(as.character(ids), org.Hs.egSYMBOL)))
})

names(p2GENES) <- files$ID

```

p2GENES is the first of three objects that we need to create. The next one is a data frame containing module definitions. We also calculate the number of associated genes and select pathways that have at least 5 associated ENTREZ genes:

```

pathways <- data.frame( ID=files$ID,
  Title=files$Title,
  stringsAsFactors=FALSE )
pathways$N <- sapply(p2GENES, length)
pathways$URL <-
  paste0("http://www.wikipathways.org/index.php/Pathway:",
  pathways$ID )
sel <- pathways$N > 4
pathways <- pathways[ sel, ]
rownames(pathways) <- pathways$ID

```

Finally, we are good to go: we can build the tmod object with the makeTmod function:

```
Hspaths <- makeTmod(modules=pathways, modules2genes=p2GENES)
```

We can now use the tmodCERNOtest to see whether it works:

```
tmodCERNOtest(tt$GENE_SYMBOL, mset=Hspaths)
```

```

##          ID                               Title      cerno N1      AUC
## WP558 WP558 Hs_Complement_and_Coagulation_Cascades 107.73082 28 0.6418746
## WP545 WP545                               Hs_Complement_Activation 55.50123 11 0.7384877
##          cES      P.Value  adj.P.Val
## WP558 1.923765 4.008176e-05 0.008817987
## WP545 2.522783 1.007705e-04 0.011084757

```

Nice – the complement pathway was also found before, when using the default data set. Unfortunately, we don't see anything else: WikiPathways are more oriented on metabolic pathways, while the blood transcriptional modules are particularly good for analyzing immune responses. However, if we were to test a specific hypothesis, we would select modules related to interferon response:

```

sel <- grep( "Interferon",
  Hspaths$MODULES$Title, ignore.case=T )
tmodCERNOtest(tt$GENE_SYMBOL, mset=Hspaths,
  modules=Hspaths$MODULES$ID[sel])

```

```

##          ID                               Title      cerno N1      AUC
## WP619 WP619 Hs_Type_II_interferon_signaling_(IFNG) 42.1566 9 0.7050031
##          cES      P.Value  adj.P.Val
## WP619 2.342033 0.001051527 0.003154582

```

Since the number of tests is lower, the type-II interferon signalling is now significant.

Case study: Metabolic profiling of TB patients

Introduction

One of the main objectives in writing tmod was the ability to analyse metabolic profiling data and other uncommon data sets. In 2012, we have analysed metabolic profiles of serum collected from patients suffering from tuberculosis (TB) and healthy controls (Weiner 3rd et al. 2012). It turned out that there are huge differences between these two groups of individuals, involving amino acid metabolism, lipid metabolism and many others. In the course of the analysis, we found correlations between the metabolites which are not explained fully by the metabolic pathways. For example, cortisol is correlated with kynurenine due to the immunoactive function of these molecules indicating an activation of the immune system, and not because these two molecules are linked by a synthesis process. Vice versa, kynurenine and tryptophan were not directly correlated, even though these molecules are clearly linked by a metabolic process, because tryptophan is not an immune signalling molecule, while kynurenine is.

The tmod package includes both, the data set used in the Weiner et al. paper and the cluster definitions (modules) published therein. In the following, we will use these modules to analyse the metabolic profiles⁸.

First, we load the data modules and the data set to analyse.

```
data(modmetabo) ## modules
data(tbmprof)
ids <- rownames(tbmprof)
tb <- factor(gsub("\\\\.*", "", ids))
sex <- factor(gsub("\\.*\\.[MF]\\.*", "\\1", ids))
table(tb, sex)
```

```
##           sex
## tb         F  M
## HEALTHY  58 34
## TB       25 19
```

Differential analysis

The metabolic profiling data has not exactly a normal distribution, but that varies from one compound to another. It is possible to normalize it by ranking, but we can simply use the wilcoxon test to see differences between males and females as well as TB patients and healthy individuals.

```
wcx.tb <- apply(tbmprof, 2, function(x) wilcox.test(x ~ tb, conf.int=T))
wcx.tb <- t(sapply(wcx.tb, function(x) c(x$estimate, x$p.value)))

wcx.sex <- apply(tbmprof, 2, function(x) wilcox.test(x ~ sex, conf.int=T))
wcx.sex <- t(sapply(wcx.sex, function(x) c(x$estimate, x$p.value)))

wcx <- data.frame(ID=colnames(tbmprof),
                  E.tb=wcx.tb[,1], pval.tb=wcx.tb[,2],
                  E.sex=wcx.sex[,1], pval.sex=wcx.sex[,2],
                  row.names=colnames(tbmprof))
```

The data frame contains the results of all tests. We can now test both the healthy/tb comparison and the male/female comparison for enrichment in metabolic profiling modules. Instead ordering the feature identifiers, we use the option “input.order” to determine the sorting.

⁸Formally, this is not correct, as the modules were derived from the data set that we are going to analyse, however it serves for demonstration purposes

```
ids <- wcx$ID
res <- list()
res$tb <- tmodCERN0test(ids[order(wcx$pval.tb)], mset=modmetabo)
res$tb
```

```
##           ID                               Title      cerno N1
## ME.107 ME.107                               Amino acids cluster 104.64470 18
## ME.37  ME.37 Kynurenes, taurocholates and cortisol cluster 116.88147 25
## MP.2   MP.2                               Amino Acid  99.16212 28
##           AUC      cES      P.Value      adj.P.Val
## ME.107 0.8824576 2.906797 1.283792e-08 5.391925e-07
## ME.37  0.8837093 2.337629 2.816098e-07 5.913805e-06
## MP.2   0.7060786 1.770752 3.357995e-04 4.701193e-03
```

```
res$sex <- tmodCERN0test(ids[order(wcx$pval.sex)], mset=modmetabo)
res$sex
```

```
##           ID                               Title      cerno N1      AUC      cES
## ME.26 ME.26   Hormones cluster 62.47927 10 0.9198068 3.123963
## MS.1  MS.1                               Steroid 60.98935 11 0.8732115 2.772243
## ME.69 ME.69 Cholesterol cluster 45.14144 11 0.8190623 2.051883
##           P.Value      adj.P.Val
## ME.26 2.923803e-06 0.0001227997
## MS.1  1.593507e-05 0.0003346365
## ME.69 2.546330e-03 0.0356486262
```

Both these result tables are concordant with previous findings. The enriched modules in male vs. female comparison are what one would expect. In TB, a cluster consisting of kynurenine, bile acids and cortisol is up-regulated, while amino acids go down. We can take a closer look at it using the evidencePlot function.


Why is there a module called “Amino acid cluster” and another one called “Amino acid”? The “cluster” in the name of the module indicates that it has been build by clustering of the profiles, while the other module has been based on the biochemical classification of the molecules. This information is contained in the Category column of the MODULES data frame:

```
modmetabo$MODULES[ c("ME.107", "MP.2"), ]
```

```
##           ID                               Title Category
## ME.107 ME.107 Amino acids cluster      Cluster
## MP.2   MP.2   Amino Acid Pathway
```


To get an overview for both of these comparisons at the same time, we can use the tmodPanelPlot function. The size of the blobs below corresponds to the AUC values from the tables above.

```
tmodPanelPlot(res)
```




This, unfortunately, does not tell us in which group the metabolites from a given modules are higher. For this, we can use the “estimate” from the wilcox.test above and a parameter for tmodPanelPlot called “pie”. To create the value for this parameter – a list that describes, for each condition and for each module, how many metabolites change in one direction, and how many change in the other.


```
pie.data <- wcx[,c("E.sex", "E.tb")]
colnames(pie.data) <- c("sex", "tb")
pie <- tmodDecideTests(wcx$ID, lfc=pie.data, lfc.thr=0.2, mset=modmetabo)
tmodPanelPlot(res, pie=pie, pie.style="rug", grid="between")
```



P value:



Effect size:



We see now that the cortisol cluster is higher in TB, while amino acids are found at lower concentration in the patients. Also, we see that most of the steroids found (cluster ME.26 and module MS.1) are lower in females. The latter is not surprising if we inspect it closely.

```
wcx <- wcx[order(wcx$pval.sex),]
showModule(wcx[,c("E.sex", "pval.sex")], wcx$ID, "MS.1", mset=modmetabo)
```

##	E.sex	pval.sex	ID	Name	Pathway
##	HMDB00493	-0.86999795	3.042745e-06	HMDB00493	
##	HMDB00365	-0.64001269	4.033730e-05	HMDB00365	
##	HMDB02759	-0.61997366	1.072607e-04	HMDB02759	
##	M.37186	-0.49999995	1.486517e-04	M.37186	
##	HMDB03818.1	-0.38999920	1.541563e-04	HMDB03818.1	
##	M.32619	-0.35995962	3.418813e-04	M.32619	
##	HMDB03818	-0.45997259	4.349672e-03	HMDB03818	
##	HMDB01032	-0.27006303	5.284132e-03	HMDB01032	
##	HMDB02802	-0.10000226	8.852221e-02	HMDB02802	
##	HMDB00063	-0.11997203	1.552120e-01	HMDB00063	
##	HMDB04026	-0.07998115	3.350142e-01	HMDB04026	
##					
##	HMDB00493			5alpha-androstan-3beta,17beta-diol disulfate	Lipid
##	HMDB00365			epiandrosterone sulfate	Lipid
##	HMDB02759			androsterone sulfate	Lipid
##	M.37186			5alpha-androstan-3alpha,17beta-diol monosulfate (1)	Lipid
##	HMDB03818.1			4-androsten-3beta,17beta-diol disulfate (2)	Lipid
##	M.32619			pregn steroid monosulfate*	Lipid
##	HMDB03818			4-androsten-3beta,17beta-diol disulfate (1)	Lipid
##	HMDB01032			dehydroisoandrosterone sulfate (DHEA-S)	Lipid
##	HMDB02802			cortisone	Lipid
##	HMDB00063			cortisol	Lipid
##	HMDB04026			21-hydroxypregnenolone disulfate	Lipid
##				Subpathway	HMDB KEGG MetabolonID

```
## HMDB00493 Steroid HMDB00493 C12525 M.37190
## HMDB00365 Steroid HMDB00365 C07635 M.33973
## HMDB02759 Steroid HMDB02759 M.31591
## M.37186 Steroid M.37186
## HMDB03818.1 Steroid HMDB03818 C04295 M.37203
## M.32619 Steroid M.32619
## HMDB03818 Steroid HMDB03818 C04295 M.37202
## HMDB01032 Steroid HMDB01032 C04555 M.32425
## HMDB02802 Steroid HMDB02802 C00762 M.1769
## HMDB00063 Steroid HMDB00063 C00735 M.1712
## HMDB04026 Steroid HMDB04026 C05485 M.46115
```

```
i <- "HMDB00493" # what is it?
modmetabo$GENES[i,]
```

```
## ID Name Pathway
## HMDB00493 HMDB00493 5alpha-androstan-3beta,17beta-diol disulfate Lipid
## Subpathway HMDB KEGG MetabolonID
## HMDB00493 Steroid HMDB00493 C12525 M.37190
```


```
par(mfrow=c(1,2))
showGene(tbmprof[,i], sex, main=modmetabo$GENES[i, "Name"],
ylab="Relative abundance")
```

```
## now for cortisol cluster
i <- "HMDB00063"
wcx <- wcx[order(wcx$pval.tb),]
showModule(wcx[,c("E.tb", "pval.tb")], wcx$ID, "ME.37",
mset=modmetabo)[1:10,] # only first 10!
```

```
## E.tb pval.tb ID Name
## M.47908 -6.999310e-01 2.665735e-14 M.47908 Unknown
## M.32599 -7.999872e-01 2.320130e-10 M.32599 glycocholenate sulfate*
## HMDB00169 -6.299770e-01 5.118925e-09 HMDB00169 mannose
## Mx.22110 -6.448828e-05 1.379682e-08 Mx.22110 3-hydroxykynurenine
## HMDB00063 -5.399765e-01 1.990892e-08 HMDB00063 cortisol
## HMDB00159 -2.900586e-01 2.491091e-08 HMDB00159 phenylalanine
## M.32807 -1.219964e+00 3.577292e-08 M.32807 taurocholenate sulfate
## M.46637 -1.030041e+00 6.660175e-08 M.46637 Unknown
## M.46652 -8.399503e-01 1.420077e-07 M.46652 Unknown
## HMDB00684 -3.100146e-01 1.788895e-07 HMDB00684 kynurenine
## Pathway Subpathway
## M.47908
## M.32599 Lipid Secondary Bile Acid Metabolism
## HMDB00169 Carbohydrate Fructose, Mannose and Galactose Metabolism
## Mx.22110 Amino acid Tryptophan Metabolism
## HMDB00063 Lipid Steroid
## HMDB00159 Amino Acid Phenylalanine and Tyrosine Metabolism
## M.32807 Lipid Secondary Bile Acid Metabolism
## M.46637
## M.46652
## HMDB00684 Amino Acid Tryptophan Metabolism
## HMDB KEGG MetabolonID
```

```
## M.47908 M.47908
## M.32599 M.32599
## HMDB00169 HMDB00169 C00159 M.584
## Mx.22110 C02794 Mx.22110
## HMDB00063 HMDB00063 C00735 M.1712
## HMDB00159 HMDB00159 C00079 M.64
## M.32807 M.32807
## M.46637 M.46637
## M.46652 M.46652
## HMDB00684 HMDB00684 C00328 M.15140
```

```
showGene(tbmprof[,i], tb, main=modmetabo$GENES[i, "Name"],
         ylab="Relative abundance")
```




Functional multivariate analysis

We can practically circumvent a gene-by-gene analysis. In fact, we are rarely interested in the p-values associated with single genes or metabolites. There is too many of them, and the statistical power is limited by the sheer number of tests and the requirement of correction for multiple testing. In case you have not read the part on FMA above, “Functional multivariate analysis”, in its simplest form, is simply combining a principal component analysis (PCA) with enrichment analysis. PCA lets us explore where the variance in the data is; enrichment analysis allows us to interpret the principal components in functional terms.


In tmod, it can be done in a few lines of code:

```
pca <- prcomp(tbmprof, scale.=T)
ret <- tmodPCA(pca, genes=colnames(tbmprof), mset=modmetabo,
              plot.params=list(group=tb, legend="topright"))
```



The `ret` object now contains the results of enrichments (in the `ret$enrichments` member) and we can directly throw it on a panel plot:

```
tmodPanelPlot(ret$enrichments)
```



OK, but which of the terms are characteristic for TB patients? Which for the healthy controls? In the above, the enrichments were based on a list sorted by the absolute PCA weights. However, we can split it into a list ordered by signed weights ordered once from small to large values, and once from large to small values.

```
pca <- prcomp(tbmprof, scale.=T)
ret <- tmodPCA(pca, genes=colnames(tbmprof), mset=modmetabo,
  plot.params=list(group=tb, legend="topright"),
  mode="cross")
```




In essence, reading this plot is simple. First, note that this time the tag clouds on the top and the bottom correspond to the two ends of the vertical, y axis (second component); and the tag clouds at the left and right correspond to the two ends of the horizontal, x axis (first PCA component).

Now, take the amino acid cluster (bottom of the plot): it is enriched at the lower end of the y axis, which means, that features in that cluster are higher in the yellow points which are at the bottom of the plot (lower end of the y). In other words, amino acids are higher in healthy persons – a finding which corroborates the differential analysis above.

Similarly, “kynurenines” are at the left, lower side of the x axis, which means, that features from this cluster are at higher levels in TB patients.

What about the male-female differences? They probably can be found in other, less important⁹ components. We could look for them manually, but we can also search which of the responses (turned to orthogonal PCA components) is best predicted by the `sex` factor.

```
foo <- summary(lm(pca$x ~ sex))
foo <- t(sapply(foo,
  function(x) c(r=x$r.squared, pval=x$coefficients[2,4])))
head(foo[ order(foo[,2]), ], )
```


##		r	pval
##	Response PC5	0.24569651	8.485092e-10
##	Response PC10	0.21456193	1.359253e-08
##	Response PC7	0.03280924	3.482826e-02
##	Response PC8	0.02213252	8.388780e-02

⁹That is, components which include a smaller fraction of the total variance in the data set

```
## Response PC107 0.01986978 1.016566e-01
## Response PC6 0.01919507 1.077110e-01
```

We can use the components 1 (which corresponds to TB/healthy) and components 5, which corresponds to male/female differences, as suggested by the above calculations.

```
ret <- tmodPCA(pca, genes=colnames(tbmprof), mset=modmetabo,
  plot.params=list(group=paste(sex, tb), legend="topright"),
  components=c(2,5))
```



Orange circles and blue triangles are females, located mostly in Q1 and Q2 (top half); this corresponds to differences on the y axis and the tagcloud next to it (hormone cluster, steroids etc.). On the other hand, TB patients (blue triangles and yellow circles) are in Q1 and Q4 (right-hand side), which corresponds to the TB-specific tag cloud below the y axis.

References

Banchereau, Romain, Alejandro Jordan-Villegas, Monica Ardura, Asuncion Mejias, Nicole Baldwin, Hui Xu, Elizabeth Saye, et al. 2012. "Host Immune Transcriptional Profiles Reflect the Variability in Clinical Disease Manifestations in Patients with Staphylococcus Aureus Infections." *PLoS One* 7 (4). Public Library of Science: e34390.

Chaussabel, Damien, Charles Quinn, Jing Shen, Pinakeen Patel, Casey Glaser, Nicole Baldwin, Dorothee

- Stichweh, et al. 2008. “A Modular Analysis Framework for Blood Genomics Studies: Application to Systemic Lupus Erythematosus.” *Immunity* 29 (1). Elsevier: 150–64.
- Damian, Doris, and Malka Gorfine. 2004. “Statistical Concerns About the GSEA Procedure.” *Nature Genetics* 36 (7). Nature Publishing Group: 663–63.
- Li, Shuzhao, Nadine Roupheal, Sai Duraisingham, Sandra Romero-Steiner, Scott Presnell, Carl Davis, Daniel S Schmidt, et al. 2014. “Molecular Signatures of Antibody Responses Derived from a Systems Biology Study of Five Human Vaccines.” *Nature Immunology* 15 (2). Nature Publishing Group: 195–204.
- Maertzdorf, Jeroen, Martin Ota, Dirk Repsilber, Hans J Mollenkopf, January Weiner, Philip C Hill, and Stefan HE Kaufmann. 2011. “Functional Correlations of Pathogenesis-Driven Gene Expression Signatures in Tuberculosis.” *PLoS One* 6 (10). Public Library of Science: e26938.
- Smyth, Gordon K. 2005. “Limma: Linear Models for Microarray Data.” In *Bioinformatics and Computational Biology Solutions Using R and Bioconductor*, edited by R. Gentleman, V. Carey, S. Dudoit, R. Irizarry, and W. Huber, 397–420. New York: Springer.
- Subramanian, Aravind, Pablo Tamayo, Vamsi K Mootha, Sayan Mukherjee, Benjamin L Ebert, Michael A Gillette, Amanda Paulovich, et al. 2005. “Gene Set Enrichment Analysis: A Knowledge-Based Approach for Interpreting Genome-Wide Expression Profiles.” *Proceedings of the National Academy of Sciences of the United States of America* 102 (43). National Acad Sciences: 15545–50.
- Weiner 3rd, January, Shreemanta K Parida, Jeroen Maertzdorf, Gillian F Black, Dirk Repsilber, Anna Telaar, Robert P Mohny, et al. 2012. “Biomarkers of Inflammation, Immunosuppression and Stress with Active Disease Are Revealed by Metabolomic Profiling of Tuberculosis Patients.” *PLoS One* 7 (7). Public Library of Science: e40221.
- Weiner, January. 2013. *Pca3d: Three Dimensional PCA Plots*.
- . 2014. *Tagcloud: Tag Clouds*.
- Wendt, Hans W. 1972. “Dealing with a Common Problem in Social Science: A Simplified Rank-Biserial Coefficient of Correlation Based on the U Statistic.” *European Journal of Social Psychology* 2 (4). Wiley Online Library: 463–65.
- Yamaguchi, Ken D, Daniel L Ruderman, Ed Croze, T Charis Wagner, Sharlene Velichko, Anthony T Reder, and Hugh Salamon. 2008. “IFN- β -Regulated Genes Show Abnormal Expression in Therapy-Naïve Relapsing–remitting MS Mononuclear Cells: Gene Expression Analysis Employing All Reported Protein–protein Interactions.” *Journal of Neuroimmunology* 195 (1). Elsevier: 116–20.