

# References for Excluded Papers

## References

- [Alexander et al., 2009] Alexander, M. E., Dietrich, S. M., Hua, Y., and Moghadas, S. M. (2009). A comparative evaluation of modelling strategies for the effect of treatment and host interactions on the spread of drug resistance. *Journal of Theoretical Biology*, 259(2):253–263.
- [Alizon and Fraser, 2013] Alizon, S. and Fraser, C. (2013). Within-host and between-host evolutionary rates across the HIV-1 genome. *Retrovirology*, 10(1):49.
- [Alizon et al., 2011] Alizon, S., Luciani, F., and Regoes, R. R. (2011). Epidemiological and clinical consequences of within-host evolution. *Trends in Microbiology*, 19(1):24–32.
- [Althouse and Hanley, 2015] Althouse, B. M. and Hanley, K. A. (2015). The tortoise or the hare? Impacts of within-host dynamics on transmission success of arthropod-borne viruses. *Proceedings of the Royal Society of London B: Biological Sciences*, 370(1675):20140299.
- [Antolin, 2008] Antolin, M. F. (2008). Unpacking  $\beta$ : within-host dynamics and the evolutionary ecology of pathogen transmission. *Annual Review of Ecology, Evolution, and Systematics*, 39:415–437.
- [Artzy-Randrup and Pascual, 2014] Artzy-Randrup, Y. and Pascual, M. (2014). Composite temporal strategies in pathogen evolution: balancing invasion and persistence. *Theoretical Ecology*, 7(4):325–334.
- [Bedhomme et al., 2004] Bedhomme, S., Agnew, P., Sidobre, C., and Michalakis, Y. (2004). Virulence reaction norms across a food gradient. *Proceedings of the Royal Society of London B: Biological Sciences*, 271(1540):739.
- [Beegle and Oatman, 1975] Beegle, C. C. and Oatman, E. R. (1975). Effect of a nuclear polyhedrosis virus on the relationship between *Trichoplusia ni* (Lepidoptera: Noctuidae) and the parasite, *Hyposoter exiguae* (Hymenoptera: Ichneumonidae). *Journal of Invertebrate Pathology*, 25(1):59–71.
- [Betancourt et al., 2013] Betancourt, M., Escriu, F., Fraile, A., and García-Arenal, F. (2013). Virulence evolution of a generalist plant virus in a heterogeneous host system. *Evolutionary Applications*, 6(6):875–890.
- [Betancourt et al., 2011] Betancourt, M., Fraile, A., and García-Arenal, F. (2011). Cucumber mosaic virus satellite RNAs that induce similar symptoms in melon plants show large differences in fitness. *Journal of General Virology*, 92(8):1930–1938.
- [Boldin and Diekmann, 2008] Boldin, B. and Diekmann, O. (2008). Superinfections can induce evolutionarily stable coexistence of pathogens. *Journal of Mathematical Biology*, 56(5):635–672.
- [Boone et al., 2002] Boone, J. D., McGwire, K. C., Otteson, E. W., DeBaca, R. S., Kuhn, E. A., and St Jeor, S. C. (2002). Infection dynamics of Sin Nombre virus after a widespread decline in host populations. *The American Journal of Tropical Medicine and Hygiene*, 67(3):310–318.
- [Braquart-Varnier et al., 2015] Braquart-Varnier, C., Raimond, M., Mappa, G., Chevalier, F. D., Clech, L., Sicard, M., et al. (2015). The hematopoietic organ: a cornerstone for *Wolbachia* propagation between and within hosts. *Frontiers in Microbiology*, 6:1424.

- [Brooks-Pollock and Wood, 2015] Brooks-Pollock, E. and Wood, J. L. (2015). Eliminating bovine tuberculosis in cattle and badgers: insight from a dynamic model. *Proceedings of the Royal Society of London B: Biological Sciences*, 282(1808):20150374.
- [Chaves et al., 2009] Chaves, L. F., Kaneko, A., and Pascual, M. (2009). Random, top-down, or bottom-up coexistence of parasites: malaria population dynamics in multi-parasitic settings. *Ecology*, 90(9):2414–2425.
- [Chen et al., 2013] Chen, S., Sanderson, M., and Lanzas, C. (2013). Investigating effects of between-and within-host variability on *Escherichia coli* O157 shedding pattern and transmission. *Preventive Veterinary Medicine*, 109(1-2):47–57.
- [Coombs et al., 2007] Coombs, D., Gilchrist, M. A., and Ball, C. L. (2007). Evaluating the importance of within-and between-host selection pressures on the evolution of chronic pathogens. *Theoretical Population Biology*, 72(4):576–591.
- [Cooper and Heinemann, 2005] Cooper, T. and Heinemann, J. (2005). Selection for plasmid post-segregational killing depends on multiple infection: evidence for the selection of more virulent parasites through parasite-level competition. *Proceedings of the Royal Society of London B: Biological Sciences*, 272(1561):403–410.
- [Cuadros and García-Ramos, 2012] Cuadros, D. F. and García-Ramos, G. (2012). Variable effect of coinfection on the HIV infectivity: within-host dynamics and epidemiological significance. *Theoretical Biology and Medical Modelling*, 9(1):9.
- [Dang et al., 2016] Dang, Y.-X., Li, X.-Z., and Martcheva, M. (2016). Competitive exclusion in a multi-strain immuno-epidemiological influenza model with environmental transmission. *Journal of Biological Dynamics*, 10(1):416–456.
- [Day et al., 2011] Day, T., Alizon, S., and Mideo, N. (2011). Bridging scales in the evolution of infectious disease life histories: theory. *Evolution*, 65(12):3448–3461.
- [De Maio et al., 2016] De Maio, N., Wu, C.-H., and Wilson, D. J. (2016). SCOTTI: efficient reconstruction of transmission within outbreaks with the structured coalescent. *PLoS Computational Biology*, 12(9):e1005130.
- [DeBlasio et al., 2016] DeBlasio, S. L., Chavez, J. D., Alexander, M. M., Ramsey, J., Eng, J. K., Mahoney, J., Gray, S. M., Bruce, J. E., and Cilia, M. (2016). Visualization of host-poleovirus interaction topologies using protein interaction reporter technology. *Journal of Virology*, 90(4):1973–1987.
- [Dennehy et al., 2006] Dennehy, J. J., Friedenberg, N. A., Holt, R. D., and Turner, P. E. (2006). Viral ecology and the maintenance of novel host use. *The American Naturalist*, 167(3):429–439.
- [Devaux, 2012] Devaux, C. A. (2012). Emerging and re-emerging viruses: A global challenge illustrated by Chikungunya virus outbreaks. *World Journal of Virology*, 1(1):11.
- [Doekes et al., 2017] Doekes, H. M., Fraser, C., and Lythgoe, K. A. (2017). Effect of the latent reservoir on the evolution of HIV at the within-and between-host levels. *PLoS Computational Biology*, 13(1):e1005228.
- [Dorratoltaj et al., 2017] Dorratoltaj, N., Nikin-Beers, R., Ciupe, S. M., Eubank, S. G., and Abbas, K. M. (2017). Multi-scale immunoepidemiological modeling of within-host and between-host HIV dynamics: systematic review of mathematical models. *PeerJ*, 5:e3877.
- [Dwyer et al., 1990] Dwyer, G., Levin, S. A., and Buttel, L. (1990). A simulation model of the population dynamics and evolution of myxomatosis. *Ecological Monographs*, 60(4):423–447.
- [Ellner et al., 2007] Ellner, S. P., Jones, L. E., Mydlarz, L. D., and Harvell, C. D. (2007). Within-host disease ecology in the sea fan *Gorgonia ventalina*: modeling the spatial immunodynamics of a coral-pathogen interaction. *The American Naturalist*, 170(6):E143–E161.

- [Erler et al., 2012] Erler, S., Popp, M., Wolf, S., and Lattorff, H. M. G. (2012). Sex, horizontal transmission, and multiple hosts prevent local adaptation of *Crithidia bombi*, a parasite of bumblebees (*Bombus spp.*). *Ecology and Evolution*, 2(5):930–940.
- [Feng et al., 2015] Feng, Z., Cen, X., Zhao, Y., and Velasco-Hernandez, J. X. (2015). Coupled within-host and between-host dynamics and evolution of virulence. *Mathematical Biosciences*, 270:204–212.
- [Fenton, 2016] Fenton, A. (2016). Editorial: Mathematical modelling of infectious diseases. *Parasitology*, 143(7):801–804.
- [Forrester et al., 2016] Forrester, N. L., Gutiérrez, S., and Coffey, L. L. (2016). The evolution and transmission of vector-borne viruses. *Virus Evolution*, page 61.
- [Frost et al., 2015] Frost, S. D., Pybus, O. G., Gog, J. R., Viboud, C., Bonhoeffer, S., and Bedford, T. (2015). Eight challenges in phylodynamic inference. *Epidemics*, 10:88–92.
- [Fryer et al., 2012] Fryer, H. R., Frater, J., Duda, A., Palmer, D., Phillips, R. E., and McLean, A. R. (2012). Cytotoxic T-lymphocyte escape mutations identified by HLA association favor those which escape and revert rapidly. *Journal of Virology*, 86(16):8568–8580.
- [Fryer and McLean, 2011a] Fryer, H. R. and McLean, A. R. (2011a). Modelling the spread of HIV immune escape mutants in a vaccinated population. *PLoS Computational Biology*, 7(12):e1002289.
- [Fryer and McLean, 2011b] Fryer, H. R. and McLean, A. R. (2011b). There is no safe dose of prions. *PLoS One*, 6(8):e23664.
- [Garamszegi, 2009] Garamszegi, L. Z. (2009). Patterns of co-speciation and host switching in primate malaria parasites. *Malaria Journal*, 8(1):110.
- [Garira et al., 2014] Garira, W., Mathebuta, D., and Netshikweta, R. (2014). A mathematical modelling framework for linked within-host and between-host dynamics for infections with free-living pathogens in the environment. *Mathematical Biosciences*, 256:58–78.
- [Giardina et al., 2017] Giardina, F., Romero-Severson, E. O., Albert, J., Britton, T., and Leitner, T. (2017). Inference of transmission network structure from HIV phylogenetic trees. *PLoS Computational Biology*, 13(1):e1005316.
- [Gilchrist and Coombs, 2006] Gilchrist, M. A. and Coombs, D. (2006). Evolution of virulence: interdependence, constraints, and selection using nested models. *Theoretical Population Biology*, 69(2):145–153.
- [Gjini et al., 2013] Gjini, E., Haydon, D. T., Barry, J., and Cobbold, C. A. (2013). Linking the antigen archive structure to pathogen fitness in African trypanosomes. *Proceedings of the Royal Society of London B: Biological Sciences*, 280(1753):20122129.
- [Graham et al., 2007] Graham, A. L., Cattadori, I. M., Lloyd-Smith, J. O., Ferrari, M. J., and Bjørnstad, O. N. (2007). Transmission consequences of coinfection: cytokines writ large? *Trends in Parasitology*, 23(6):284–291.
- [Gulbudak et al., 2017] Gulbudak, H., Cannataro, V. L., Tuncer, N., and Martcheva, M. (2017). Vector-borne pathogen and host evolution in a structured immuno-epidemiological system. *Bulletin of Mathematical Biology*, 79(2):325–355.
- [Gutiérrez et al., 2015] Gutiérrez, S., Thébaud, G., Smith, D. R., Kenney, J. L., and Weaver, S. C. (2015). Demographics of natural oral infection of mosquitos by Venezuelan equine encephalitis virus. *Journal of Virology*, 89(7):4020–4022.
- [Hall and Little, 2013] Hall, G. S. and Little, D. P. (2013). Within-host competition between barley yellow dwarf-PAV and-PAS. *Virus Research*, 174(1-2):148–151.

- [Hall et al., 2012] Hall, S. R., Becker, C. R., Duffy, M. A., and Cáceres, C. E. (2012). A power-efficiency trade-off in resource use alters epidemiological relationships. *Ecology*, 93(3):645–656.
- [Handel et al., 2013] Handel, A., Brown, J., Stallknecht, D., and Rohani, P. (2013). A multi-scale analysis of influenza A virus fitness trade-offs due to temperature-dependent virus persistence. *PLoS Computational Biology*, 9(3):e1002989.
- [Handel et al., 2014] Handel, A., Lebarbenchon, C., Stallknecht, D., and Rohani, P. (2014). Trade-offs between and within scales: environmental persistence and within-host fitness of avian influenza viruses. *Proceedings of the Royal Society of London B: Biological Sciences*, 281(1787):20133051.
- [Handel and Rohani, 2015] Handel, A. and Rohani, P. (2015). Crossing the scale from within-host infection dynamics to between-host transmission fitness: a discussion of current assumptions and knowledge. *Philosophical Transactions of the Royal Society B: Biological Sciences*, 370(1675):20140302.
- [Hawley and Altizer, 2011] Hawley, D. M. and Altizer, S. M. (2011). Disease ecology meets ecological immunology: understanding the links between organismal immunity and infection dynamics in natural populations. *Functional Ecology*, 25(1):48–60.
- [Hellriegel, 2001] Hellriegel, B. (2001). Immunoepidemiology—bridging the gap between immunology and epidemiology. *Trends in Parasitology*, 17(2):102–106.
- [Hool et al., 2013] Hool, A., Leventhal, G. E., and Bonhoeffer, S. (2013). Virus-induced target cell activation reconciles set-point viral load heritability and within-host evolution. *Epidemics*, 5(4):174–180.
- [Hurt et al., 2010] Hurt, A. C., Nor’e, S. S., McCaw, J. M., Fryer, H. R., Mosse, J., McLean, A. R., and Barr, I. G. (2010). Assessing the viral fitness of *oseltamivir*-resistant influenza viruses in ferrets, using a competitive-mixtures model. *Journal of Virology*, 84(18):9427–9438.
- [Hurtado, 2012] Hurtado, P. J. (2012). Within-host dynamics of mycoplasma infections: Conjunctivitis in wild passerine birds. *Journal of Theoretical Biology*, 306:73–92.
- [Jackwood et al., 2012] Jackwood, M. W., Hall, D., and Handel, A. (2012). Molecular evolution and emergence of avian gammacoronaviruses. *Infection, Genetics and Evolution*, 12(6):1305–1311.
- [Jaenike, 2009] Jaenike, J. (2009). Coupled population dynamics of endosymbionts within and between hosts. *Oikos*, 118(3):353–362.
- [Johnson and Buller, 2011] Johnson, P. T. and Buller, I. D. (2011). Parasite competition hidden by correlated coinfection: using surveys and experiments to understand parasite interactions. *Ecology*, 92(3):535–541.
- [Kao, 2010] Kao, R. R. (2010). Networks and models with heterogeneous population structure in epidemiology. In *Network Science*, pages 51–84. Springer.
- [Karvonen et al., 2006] Karvonen, A., Cheng, G.-H., Seppälä, O., and Valtonen, E. (2006). Intestinal distribution and fecundity of two species of *Diplostomum* parasites in definitive hosts. *Parasitology*, 132(3):357–362.
- [Kernbauer et al., 2015] Kernbauer, E., Maurer, K., Torres, V. J., Shopsin, B., and Cadwell, K. (2015). Gastrointestinal dissemination and transmission of *Staphylococcus aureus* following bacteremia. *Infection and Immunity*, 83(1):372–378.
- [King et al., 2009] King, A. A., Shrestha, S., Harvill, E. T., and Bjørnstad, O. N. (2009). Evolution of acute infections and the invasion-persistence trade-off. *The American Naturalist*, 173(4):446–455.
- [Klinkenberg and Heesterbeek, 2005] Klinkenberg, D. and Heesterbeek, J. (2005). A simple model for the within-host dynamics of a protozoan parasite. *Proceedings of the Royal Society of London B: Biological Sciences*, 272(1563):593–600.

- [Laabei et al., 2015] Laabei, M., Uhlemann, A.-C., Lowy, F. D., Austin, E. D., Yokoyama, M., Ouadi, K., Feil, E., Thorpe, H. A., Williams, B., Perkins, M., et al. (2015). Evolutionary trade-offs underlie the multifaceted virulence of *Staphylococcus aureus*. *PLoS Biology*, 13(9):e1002229.
- [Lambrechts and Lequime, 2016] Lambrechts, L. and Lequime, S. (2016). Evolutionary dynamics of dengue virus populations within the mosquito vector. *Current Opinion in Virology*, 21:47–53.
- [Lange and Ferguson, 2009] Lange, A. and Ferguson, N. M. (2009). Antigenic diversity, transmission mechanisms, and the evolution of pathogens. *PLoS Computational Biology*, 5(10):e1000536.
- [Lavine et al., 2008] Lavine, J. S., Poss, M., and Grenfell, B. T. (2008). Directly transmitted viral diseases: modeling the dynamics of transmission. *Trends in Microbiology*, 16(4):165–172.
- [Leclerc et al., 2014] Leclerc, M., Doré, T., Gilligan, C. A., Lucas, P., and Filipe, J. A. (2014). Estimating the delay between host infection and disease (incubation period) and assessing its significance to the epidemiology of plant diseases. *PLoS One*, 9(1):e86568.
- [Legros and Bonhoeffer, 2016] Legros, M. and Bonhoeffer, S. (2016). A combined within-host and between-hosts modelling framework for the evolution of resistance to antimalarial drugs. *Journal of the Royal Society Interface*, 13(117):20160148.
- [Lin et al., 2015] Lin, Y.-Y., Liu, C., Chien, W.-H., Wu, L.-L., Tao, Y., Wu, D., Lu, X., Hsieh, C.-H., Chen, P.-J., Wang, H.-Y., et al. (2015). New insights into the evolutionary rate of hepatitis B virus at different biological scales. *Journal of Virology*, 89(7):3512–3522.
- [Lion, 2013] Lion, S. (2013). Multiple infections, kin selection and the evolutionary epidemiology of parasite traits. *Journal of Evolutionary Biology*, 26(10):2107–2122.
- [Luciani and Alizon, 2009] Luciani, F. and Alizon, S. (2009). The evolutionary dynamics of a rapidly mutating virus within and between hosts: the case of hepatitis C virus. *PLoS Computational Biology*, 5(11):e1000565.
- [Mackinnon and Read, 1999] Mackinnon, M. and Read, A. (1999). Selection for high and low virulence in the malaria parasite. *Proceedings of the Royal Society of London B: Biological Sciences*, 266(1420):741–748.
- [Maher and Timm, 2014] Maher, S. P. and Timm, R. M. (2014). Patterns of host and flea communities along an elevational gradient in Colorado. *Canadian Journal of Zoology*, 92(5):433–442.
- [Martcheva et al., 2015] Martcheva, M., Lenhart, S., Eda, S., Klinkenberg, D., Momotani, E., and Stabel, J. (2015). An immuno-epidemiological model for Johnes disease in cattle. *Veterinary Research*, 46(1):69.
- [Martcheva and Li, 2013] Martcheva, M. and Li, X.-Z. (2013). Linking immunological and epidemiological dynamics of HIV: the case of super-infection. *Journal of Biological Dynamics*, 7(1):161–182.
- [Martinez-Bakker and Helm, 2015] Martinez-Bakker, M. and Helm, B. (2015). The influence of biological rhythms on host-parasite interactions. *Trends in Ecology & Evolution*, 30(6):314–326.
- [McCarthy et al., 2002] McCarthy, H. O., Fitzpatrick, S., and Irwin, S. W. B. (2002). Life history and life cycles: production and behavior of trematode cercariae in relation to host exploitation and next-host characteristics. *Journal of Parasitology*, 88(5):910–918.
- [McKay and Hoye, 2016] McKay, A. F. and Hoye, B. J. (2016). Are migratory animals superspreaders of infection? *Integrative and Comparative Biology*, 56(2):260–267.
- [McKenzie and Bossert, 2005] McKenzie, F. E. and Bossert, W. H. (2005). An integrated model of *Plasmodium falciparum* dynamics. *Journal of Theoretical Biology*, 232(3):411–426.
- [Mideo et al., 2008] Mideo, N., Alizon, S., and Day, T. (2008). Linking within-and between-host dynamics in the evolutionary epidemiology of infectious diseases. *Trends in Ecology & Evolution*, 23(9):511–517.

- [Mideo et al., 2011a] Mideo, N., Nelson, W. A., Reece, S. E., Bell, A. S., Read, A. F., and Day, T. (2011a). Bridging scales in the evolution of infectious disease life histories: application. *Evolution*, 65(11):3298–3310.
- [Mideo et al., 2011b] Mideo, N., Savill, N. J., Chadwick, W., Schneider, P., Read, A. F., Day, T., and Reece, S. E. (2011b). Causes of variation in malaria infection dynamics: insights from theory and data. *The American Naturalist*, 178(6):174–188.
- [Mobegi et al., 2014] Mobegi, V. A., Duffy, C. W., Amambua-Ngwa, A., Loua, K. M., Laman, E., Nwakanma, D. C., MacInnis, B., Aspelng-Jones, H., Murray, L., Clark, T. G., et al. (2014). Genome-wide analysis of selection on the malaria parasite *Plasmodium falciparum* in West African populations of differing infection endemicity. *Molecular Biology and Evolution*, 31(6):1490–1499.
- [Moncla et al., 2016] Moncla, L. H., Zhong, G., Nelson, C. W., Dinis, J. M., Mutschler, J., Hughes, A. L., Watanabe, T., Kawaoka, Y., and Friedrich, T. C. (2016). Selective bottlenecks shape evolutionary pathways taken during mammalian adaptation of a 1918-like avian influenza virus. *Cell Host & Microbe*, 19(2):169–180.
- [Mordecai et al., 2015] Mordecai, E. A., Hinderlang, M., and Mitchell, C. E. (2015). Differential impacts of virus diversity on biomass production of a native and an exotic grass host. *PLoS one*, 10(7):e0134355.
- [Moxon and Kussell, 2017] Moxon, R. and Kussell, E. (2017). The impact of bottlenecks on microbial survival, adaptation, and phenotypic switching in host-pathogen interactions. *Evolution*, 71(12):2803–2816.
- [Murall et al., 2015] Murall, C. L., Bauch, C. T., and Day, T. (2015). Could the human papillomavirus vaccines drive virulence evolution? *Proceedings of the Royal Society of London B: Biological Sciences*, 282(1798):20141069.
- [Murillo et al., 2013] Murillo, L. N., Murillo, M. S., and Perelson, A. S. (2013). Towards multiscale modeling of influenza infection. *Journal of Theoretical Biology*, 332:267–290.
- [Osiemo et al., 2010] Osiemo, Z., Marten, A., Kaib, M., Gitonga, L., Boga, H., and Brandl, R. (2010). Open relationships in the castles of clay: high diversity and low host specificity of *Termitomyces fungi* associated with fungus-growing termites in Africa. *Insectes Sociaux*, 57(3):351–363.
- [Pagán et al., 2007] Pagán, I., Alonso-Blanco, C., and García-Arenal, F. (2007). The relationship of within-host multiplication and virulence in a plant-virus system. *PLoS One*, 2(8):e786.
- [Pagán et al., 2016] Pagán, I., Rojas, P., Ramos, J. T., and Holguín, Á. (2016). Clinical determinants of HIV-1B between-host evolution and their association with drug resistance in pediatric patients. *PLoS one*, 11(12):e0167383.
- [Park et al., 2013] Park, M., Loverdo, C., Schreiber, S. J., and Lloyd-Smith, J. O. (2013). Multiple scales of selection influence the evolutionary emergence of novel pathogens. *Philosophical Transactions of the Royal Society B: Biological Sciences*, 368(1614):20120333.
- [Parkinson et al., 2017] Parkinson, J. F., Gobin, B., and Hughes, W. O. (2017). The more, the merrier? Obligate symbiont density changes over time under controlled environmental conditions, yet holds no clear fitness consequences. *Physiological Entomology*, 42(2):163–172.
- [Pepin et al., 2010] Pepin, K., Volkov, I., Banavar, J., Wilke, C., and Grenfell, B. (2010). Phenotypic differences in viral immune escape explained by linking within-host dynamics to host-population immunity. *Journal of Theoretical Biology*, 265(4):501–510.
- [Perez et al., 2013] Perez, L. I., Gundel, P. E., Ghersa, C. M., and Omacini, M. (2013). Family issues: fungal endophyte protects host grass from the closely related pathogen *Claviceps purpurea*. *Fungal Ecology*, 6(5):379–386.
- [Perkins and Fenton, 2006] Perkins, S. E. and Fenton, A. (2006). Helminths as vectors of pathogens in vertebrate hosts: A theoretical approach. *International Journal for Parasitology*, 36(8):887–894.

- [Pigeault et al., 2015] Pigeault, R., Vézilier, J., Cornet, S., Zélé, F., Nicot, A., Perret, P., Gandon, S., and Rivero, A. (2015). Avian malaria: a new lease of life for an old experimental model to study the evolutionary ecology of *Plasmodium*. *Philosophical Transactions of the Royal Society of London B: Biological Sciences*, 370(1675):20140300.
- [Pilosof et al., 2017] Pilosof, S., Greenbaum, G., Krasnov, B. R., and Zelnik, Y. R. (2017). Asymmetric disease dynamics in multihost interconnected networks. *Journal of Theoretical Biology*, 430:237–244.
- [Piontkivska et al., 2016] Piontkivska, H., Matos, L. F., Paul, S., Scharfenberg, B., Farmerie, W. G., Miyamoto, M. M., and Wayne, M. L. (2016). Role of host-driven mutagenesis in determining genome evolution of sigma virus (DMelSV; *Rhabdoviridae*) in *Drosophila melanogaster*. *Genome Biology and Evolution*, 8(9):2952–2963.
- [Rapti and Cáceres, 2016] Rapti, Z. and Cáceres, C. (2016). Effects of intrinsic and extrinsic host mortality on disease spread. *Bulletin of Mathematical Biology*, 78(2):235–253.
- [Read and Keeling, 2006] Read, J. M. and Keeling, M. J. (2006). Disease evolution across a range of spatio-temporal scales. *Theoretical Population Biology*, 70(2):201–213.
- [Reckardt and Kerth, 2009] Reckardt, K. and Kerth, G. (2009). Does the mode of transmission between hosts affect the host choice strategies of parasites? Implications from a field study on bat fly and wing mite infestation of Bechstein’s bats. *Oikos*, 118(2):183–190.
- [Regoes et al., 2013] Regoes, R. R., Hamblin, S., and Tanaka, M. M. (2013). Viral mutation rates: modelling the roles of within-host viral dynamics and the trade-off between replication fidelity and speed. *Proceedings of the Royal Society of London B: Biological Sciences*, 280(1750):20122047.
- [Reperant et al., 2012] Reperant, L. A., Kuiken, T., Grenfell, B. T., Osterhaus, A. D., and Dobson, A. P. (2012). Linking influenza virus tissue tropism to population-level reproductive fitness. *PLoS One*, 7(8):e43115.
- [Rispe and Moran, 2000] Rispe, C. and Moran, N. A. (2000). Accumulation of deleterious mutations in endosymbionts: Mullers ratchet with two levels of selection. *The American Naturalist*, 156(4):425–441.
- [Rolin et al., 2014] Rolin, O., Muse, S. J., Safi, C., Elahi, S., Gerdts, V., Hittle, L. E., Ernst, R. K., Harvill, E. T., and Preston, A. (2014). Enzymatic modification of lipid A by ArnT protects *Bordetella bronchiseptica* against cationic peptides and is required for transmission. *Infection and Immunity*, 82(2):491–499.
- [Schmid et al., 2008] Schmid, B., Keşmir, C., and de Boer, R. J. (2008). The specificity and polymorphism of the MHC class I prevents the global adaptation of HIV-1 to the monomorphic proteasome and TAP. *PLoS One*, 3(10):e3525.
- [Scordato and Kardish, 2014] Scordato, E. S. and Kardish, M. R. (2014). Prevalence and beta diversity in avian malaria communities: host species is a better predictor than geography. *Journal of Animal Ecology*, 83(6):1387–1397.
- [Severins, 2012] Severins, M. (2012). A modeller’s perspective on infection dynamics within and between hosts. *Veterinary Quarterly*, 32(3-4):169–178.
- [Severins et al., 2011] Severins, M., Klinkenberg, D., and Heesterbeek, H. (2011). How selection forces dictate the variant surface antigens used by malaria parasites. *Journal of The Royal Society Interface*, page rsif20110239.
- [Shen et al., 2015] Shen, M., Xiao, Y., and Rong, L. (2015). Global stability of an infection-age structured HIV-1 model linking within-host and between-host dynamics. *Mathematical Biosciences*, 263:37–50.
- [Shrestha et al., 2014] Shrestha, S., Bjørnstad, O. N., and King, A. A. (2014). Evolution of acuteness in pathogen metapopulations: conflicts between classical and invasion-persistence trade-offs. *Theoretical Ecology*, 7(3):299–311.

- [Smith, 2001] Smith, J. (2001). The social evolution of bacterial pathogenesis. *Proceedings of the Royal Society of London B: Biological Sciences*, 268(1462):61–69.
- [Sofonea et al., 2017] Sofonea, M. T., Alizon, S., and Michalakis, Y. (2017). Exposing the diversity of multiple infection patterns. *Journal of Theoretical Biology*, 419:278–289.
- [Steinmeyer et al., 2010] Steinmeyer, S. H., Wilke, C. O., and Pepin, K. M. (2010). Methods of modelling viral disease dynamics across the within-and between-host scales: the impact of virus dose on host population immunity. *Philosophical Transactions of the Royal Society of London B: Biological Sciences*, 365(1548):1931–1941.
- [Stephenson et al., 2017] Stephenson, J. F., Young, K. A., Fox, J., Jokela, J., Cable, J., and Perkins, S. E. (2017). Host heterogeneity affects both parasite transmission to and fitness on subsequent hosts. *Philosophical Transaction of the Royal Society of London B: Biological Sciences*, 372(1719):20160093.
- [Sternberg et al., 2011] Sternberg, E. D., Lefèvre, T., Rawstern, A. H., and de Roode, J. C. (2011). A virulent parasite can provide protection against a lethal parasitoid. *Infection, Genetics and Evolution*, 11(2):399–406.
- [Sun et al., 2016] Sun, X., Xiao, Y., Tang, S., Peng, Z., Wu, J., and Wang, N. (2016). Early HAART initiation may not reduce actual reproduction number and prevalence of MSM infection: perspectives from coupled within-and between-host modelling studies of Chinese MSM populations. *PLoS One*, 11(3):e0150513.
- [Susi et al., 2015a] Susi, H., Barrès, B., Vale, P. F., and Laine, A.-L. (2015a). Co-infection alters population dynamics of infectious disease. *Nature Communications*, 6:5975.
- [Susi et al., 2015b] Susi, H., Vale, P. F., and Laine, A.-L. (2015b). Host genotype and coinfection modify the relationship of within and between host transmission. *The American Naturalist*, 186(2):252–263.
- [Svensson-Coelho and Ricklefs, 2011] Svensson-Coelho, M. and Ricklefs, R. E. (2011). Host phylogeography and beta diversity in avian haemosporidian (Plasmodiidae) assemblages of the Lesser Antilles. *Journal of Animal Ecology*, 80(5):938–946.
- [Ulrich et al., 2011] Ulrich, Y., Sadd, B., and Schmid-Hempel, P. (2011). Strain filtering and transmission of a mixed infection in a social insect. *Journal of Evolutionary Biology*, 24(2):354–362.
- [van Dorp et al., 2014] van Dorp, C. H., van Boven, M., and De Boer, R. J. (2014). Immuno-epidemiological modeling of HIV-1 predicts high heritability of the set-point virus load, while selection for CTL escape dominates virulence evolution. *PLoS Computational Biology*, 10(12):e1003899.
- [van Noort et al., 2010] van Noort, S. P., Nunes, M. C., Weedall, G. D., Hviid, L., and Gomes, M. G. M. (2010). Immune selection and within-host competition can structure the repertoire of variant surface antigens in *Plasmodium falciparum*-a mathematical model. *PLoS One*, 5(3):e9778.
- [VanderWaal and Ezenwa, 2016] VanderWaal, K. L. and Ezenwa, V. O. (2016). Heterogeneity in pathogen transmission: mechanisms and methodology. *Functional Ecology*, 30(10):1606–1622.
- [Vavre et al., 2003] Vavre, F., Fouillet, P., and Fleury, F. (2003). Between-and within-host species selection on cytoplasmic incompatibility-inducing *Wolbachia* in haplodiploids. *Evolution*, 57(2):421–427.
- [Verenini, 1983] Verenini, M. (1983). Parasitoid development within hosts infected by microorganisms. *Bollettino dell’Istituto di Entomologia della Università degli Studi di Bologna*, 37:225–265.
- [Volz et al., 2017] Volz, E. M., Romero-Severson, E., and Leitner, T. (2017). Phylodynamic inference across epidemic scales. *Molecular Biology and Evolution*, 34(5):1276–1288.
- [Vrancken et al., 2014] Vrancken, B., Rambaut, A., Suchard, M. A., Drummond, A., Baele, G., Derdelinckx, I., Van Wijngaerden, E., Vandamme, A.-M., Van Laethem, K., and Lemey, P. (2014). The genealogical population dynamics of HIV-1 in a large transmission chain: bridging within and among host evolutionary rates. *PLoS Computational Biology*, 10(4):e1003505.



- [Walker et al., 2017] Walker, J. G., Plein, M., Morgan, E. R., and Vesik, P. A. (2017). Uncertain links in host-parasite networks: lessons for parasite transmission in a multi-host system. *Philosophical Transaction of the Royal Society B: Biological Sciences*, 372(1719):20160095.
- [Walker et al., 2013] Walker, T. M., Ip, C. L., Harrell, R. H., Evans, J. T., Kapatai, G., Dedicoat, M. J., Eyre, D. W., Wilson, D. J., Hawkey, P. M., Crook, D. W., et al. (2013). Whole-genome sequencing to delineate Mycobacterium tuberculosis outbreaks: a retrospective observational study. *The Lancet Infectious Diseases*, 13(2):137–146.
- [Wang and Wang, 2017] Wang, X. and Wang, J. (2017). Disease dynamics in a coupled cholera model linking within-host and between-host interactions. *Journal of Biological Dynamics*, 11(sup1):238–262.
- [Wasik et al., 2015] Wasik, B. R., Bhushan, A., Ogbunugafor, C. B., and Turner, P. E. (2015). Delayed transmission selects for increased survival of vesicular stomatitis virus. *Evolution*, 69(1):117–125.
- [Wilks et al., 2012] Wilks, S., de Graaf, M., Smith, D. J., and Burke, D. F. (2012). A review of influenza haemagglutinin receptor binding as it relates to pandemic properties. *Vaccine*, 30(29):4369–4376.
- [Willem et al., 2017] Willem, L., Verelst, F., Bilcke, J., Hens, N., and Beutels, P. (2017). Lessons from a decade of individual-based models for infectious disease transmission: a systematic review (2006-2015). *BMC Infectious Diseases*, 17(1):612.
- [Willemsen et al., 2017] Willemsen, A., Zwart, M. P., and Elena, S. F. (2017). High virulence does not necessarily impede viral adaptation to a new host: a case study using a plant RNA virus. *BMC Evolutionary Biology*, 17(1):25.
- [Zug et al., 2012] Zug, R., Koehncke, A., and Hammerstein, P. (2012). Epidemiology in evolutionary time: the case of Wolbachia horizontal transmission between arthropod host species. *Journal of Evolutionary Biology*, 25(11):2149–2160.
- [Zung et al., 1989] Zung, J., Lewengrub, S., Rudzinska, M., Spielman, A., Telford, S., and Piesman, J. (1989). Fine structural evidence for the penetration of the Lyme disease spirochete *Borrelia burgdorferi* through the gut and salivary tissues of *Ixodes dammini*. *Canadian Journal of Zoology*, 67(7):1737–1748.
- [Zwart et al., 2009] Zwart, M. P., Van Der Werf, W., Van Oers, M. M., Hemerik, L., Van Lent, J., De Visser, J., Vlak, J. M., and Cory, J. S. (2009). Mixed infections and the competitive fitness of faster-acting genetically modified viruses. *Evolutionary Applications*, 2(2):209–221.